



EDINBURG CISD

PURCHASING DEPARTMENT

411 N. 8th Ave., Edinburg, TX 78541
(956) 289-2311, (956) 38-7687

MIGUEL "MIKE" FARIAS, President
DOMINGA "MINGA" VELA, Vice President
LETICIA "LETTY" GARCIA, Secretary
LUIS ALAMIA, Member
CARMEN GONZÁLEZ, Member
OSCAR SALINAS, Member
XAVIER SALINAS, Member

Dr. Mario H. Salinas, Superintendent

ADDENDUM 1 CSP 22-36 SOUTH MIDDLE SCHOOL CAFETERIA FURNITURE November 19, 2021

I. INSTRUCTIONS:

- A. The following update to the specification shall be made insofar as the specifications, this addendum shall govern.
- B. It is imperative that this addendum be inserted INTO set of specifications. Acknowledge receipt of this addendum by inserting and including as part of the RFQ specifications.

II. SEE ADDENDUM BELOW:

PLEASE SEE ATTCHED UPDATED PROPOSAL FORM

Respectfully Submitted,

Amaro Tijerina
Director of Purchasing

(Signature of authorized officer)

Date

Company Name

Nondiscrimination Statement

It is the policy of Edinburg CISD not to discriminate on the basis of gender, age, handicap, religion, race, color, or national origin in its educational programs.

Es política del Distrito Escolar de Edinburg el no discriminar por razones con base en género, edad, religión, raza, color origen nacional, ni discapacidad dentro de sus programas educacionales.

**Edinburg Consolidated Independent School District
CSP 22-36, South Middle School Cafeteria Furniture**

PROPOSAL FORM

ITEM #	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
CHAIRS					
1	Bent plywood plain back freestanding standard height met chair assembly. Laminate shell seat and back, Wilsonart laminate on reinforced chrome, total height: 33 1/4", seat height 17 1/2", seat width 16 1/2", overall depth 16", total weight 15 lbs, frame: chrome tube (reinforced steel) - stackable. BENT PLYWOOD CHAIR	40	EACH \$	\$	
BOOTH/BENCHES					
2	60" double freestanding/clipped down booth assembly. Metaform fiberglass back & seat. Laminated back panel. Frame constructed with 16 gauge 1 1/2" square tube steel and 316" thick angle and flat stock. Leg supports are 6 3/4" in height with adjustable leveling glides attached. Color: Chrome. Seat construction: Heavy 8 gauge steel inner frame, two piece design fiberglass booth seat with hygienic, graffiti resistant easy to clean fiberglass. MODENA #1BD60	4	EACH \$	\$	
3	42" single freestanding/clipped down booth assembly. Metaform fiberglass back & seat. Laminated back panel: Wilsonart high rise vinyl brushed aluminum edge. Frame: nearly chrome clearcoat with hardware pack. Frame constructed with 16 gauge 1 1/2" square tube steel and 316" thick angle and flat stock. Leg supports are 6 3/4" in height with adjustable leveling glides attached. Color: Chrome. Seat Construction: Heavy 8 gauge steel inner frame, two piece design fiberglass booth seat with hygienic, graffiti resistant easy to clean fiberglass. MODENA #1BS42	1	EACH \$	\$	
4	48" single freestanding/clipped down booth assembly. Metaform fiberglass back & seat. Laminated back panel: Wilson high rise vinyl brushed aluminum edge. Frame: Nearly chrome clearcoat with hardware pack frame constructed with 16 gauge 1 1/2" square tube steel and 316" thick angle and flat stock. Leg supports are 6 3/4" in height with adjustable leveling glides attached. Color: Chrome. Seat Construction: Heavy 8 gauge steel inner frame, two piece design fiberglass booth seat with hygienic, graffiti resistant easy to clean fiberglass. MODENA #1BS48	5	EACH \$	\$	
5	60" single freestanding/clipped down booth assembly. Metaform fiberglass back & seat. Laminated back panel: Wilson high rise vinyl brushed aluminum edge. Frame: Nearly chrome clearcoat with hardware pack frame constructed with 16 gauge 1 1/2" square tube steel and 316" thick angle and flat stock. Leg supports are 6 3/4" in height with adjustable leveling glides attached. Color: Chrome. Seat Construction: Heavy 8 gauge steel inner frame, two piece design fiberglass booth seat with hygienic, graffiti resistant easy to clean fiberglass. MODENA #1BS60	16	EACH \$	\$	
6	Quarter round single freestanding bench assembly. Metaform fiberglass seat frame: nearly chrome clearcoat with hardware pack. Frame constructed with 16 gauge 1 1/2" square tube steel and 316" thick angle and flat stock. Leg supports are 6 3/4" in height with adjustable leveling glides attached. Color: Chrome. Seat construction: Heavy duty 8 gauge steel inner frame, two piece design fiberglass booth seat with hygienic, graffiti resistant easy to clean fiberglass. MODENA 2BNQTR	12	EACH \$	\$	

**Edinburg Consolidated Independent School District
CSP 22-36, South Middle School Cafeteria Furniture**

PROPOSAL FORM

ITEM #	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
TABLE & BASE					
7	Laminate table top 24 x 30 corner: 2" radius. Laminate: Pionite Love Letters AW300-SD. Edgebanding: Vinyl brushed aluminum. Top is constructed of 1 1/4", 45 point density particle board. The top is laminated with a horizontal grade .050 inch laminate. 3M PVC Edge: 1 1/4" thick permanently 3MM PVC edge, UV stable and chemical resistant. A2430	4	EACH \$	\$	
8	Laminate table top 30 x 48 corner: 2" radius. Laminate: Pionite Love Letters AW300-SD. Edgebanding: Vinyl brushed aluminum. Top is constructed of 1 1/4", 45 point density particle board. The top is laminated with a horizontal grade .050 inch laminate. 3M PVC Edge: 1 1/4" thick permanently 3MM PVC edge, UV stable and chemical resistant. A3048	1	EACH \$	\$	
9	Laminate table top 30 x 48 ADA corner: 2" radius. Laminate: Pionite Love Letters AW300-SD. Edgebanding: Vinyl brushed aluminum. Top is constructed of 1 1/4", 45 point density particle board. The top is laminated with a horizontal grade .050 inch laminate. 3M PVC Edge: 1 1/4" thick permanently 3MM PVC edge, UV stable and chemical resistant. A3048A	3	EACH \$	\$	
10	Laminate table top 30 x 60 corner: 2" radius. Laminate: Pionite Love Letters AW300-SD. Edgebanding: Vinyl brushed aluminum. Top is constructed of 1 1/4", 45 point density particle board. The top is laminated with a horizontal grade .050 inch laminate. 3M PVC Edge: 1 1/4" thick permanently 3MM PVC edge, UV stable and chemical resistant. A3060	8	EACH \$	\$	
11	Laminate table top 30 x 60 ADA corner: 2" radius. Laminate: Pionite Love Letters AW300-SD. Edgebanding: Vinyl brushed aluminum. Top is constructed of 1 1/4", 45 point density particle board. The top is laminated with a horizontal grade .050 inch laminate. 3M PVC Edge: 1 1/4" thick permanently 3MM PVC edge, UV stable and chemical resistant. A3060A	5	EACH \$	\$	
12	Laminate table top 36" diameter. Laminate: Wilsonart high rise. Edge: Vinyl brushed aluminum. Top is constructed of 1 1/4", 45 point density particle board. The top is laminated with a horizontal grade .050 inch laminate. 3M PVC Edge: 1 1/4" thick permanently 3MM PVC edge, UV stable and chemical resistant. B36D	4	EACH \$	\$	
13	Steel hat channel 16 GA x 3/4"H x 5"W x 70:L, powder coated black. TABLE BASE COLUMN KIT	13	EACH \$	\$	
14	Table column base kit freestanding standard height steel column with steel cross 22 x 30 base in nearly chrome powdercoat. The base column is constructed of 18 gauge, 3" diameter round steel tubing. It is welded to an 11" square steel plate. Sized of base vary depending on size of table. TABLE BASE COLUMN KIT	4	EACH \$	\$	

**Edinburg Consolidated Independent School District
CSP 22-36, South Middle School Cafeteria Furniture**

PROPOSAL FORM

ITEM #	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
15	Table column base kit freestanding standard height steel column with steel cross 22" end base in nearly chrome powdercoat. The base column is constructed of 18 gauge, 3" diameter round steel tubing. It is welded to an 11" square steel plate. Sized of base vary depending on size of table. TABLE BASE COLUMN KIT	18	EACH \$	\$	
16	Table column base kit freestanding standard height steel column with steel cross 22" end base in nearly chrome powdercoat. The base column is constructed of 18 gauge, 3" diameter round steel tubing. It is welded to an 11" square steel plate. Sized of base vary depending on size of table. TABLE BASE COLUMN KIT	16	EACH \$	\$	
17	Table column base kit freestanding standard height steel column with steel cross 30 x 30 base in nearly chrome powdercoat. The base column is constructed of 18 gauge, 3" diameter round steel tubing. It is welded to an 11" square steel plate. Sized of base vary depending on size of table. TABLE BASE COLUMN KIT	4	EACH \$	\$	
GRAPHICS					
18	23" X 72"H Direct print graphics on 6MM white PVC substrate mount to wall with limited visible hardware	2	EACH \$	\$	
19	59" X 56"H Direct print graphics on 6MM white PVC substrate mount to wall with limited visible hardware	1	EACH \$	\$	
20	35" X 35" Direct print graphics on 6MM white PVC substrate mount to wall with limited visible hardware	7	EACH \$	\$	
21	95" X 23" Direct print graphics on 6MM white PVC substrate mount to wall with limited visible hardware	3	EACH \$	\$	
22	95" X 59" Direct print graphics on 6MM white PVC substrate mount to wall with limited visible hardware	1	EACH \$	\$	
MOBILE FOLDING					
23	60" X 30"H with 8 comfort stools to match existiing tables. Includes new comfort stood design with accent guard. Includes exclusive strut lift assist. Lifetime warranty. Support: Chrome. SICO GRADUATE TABLE WITH 8 STOOLS	21	SETS \$	\$	
24	12" X 30"H with 12 stools to match existiing tables. Includes new comfort stood design with accent guard. Includes exclusive strut lift assist. Lifetime warranty. Support: Chrome. SICO PRESIDENT TABLE WITH 12 STOOLS	9	SETS \$	\$	
25	42" X 120 X 30"H with 12 stools to match existiing tables. Includes new comfort stood design with accent guard. Includes exclusive strut lift assist. Lifetime warranty. Support: Chrome. SICO COMMUNICATOR TABLE WITH 12 STOOLS	3	SETS \$	\$	
WINDOW CLINGS					
26	Direct print graphics on transparent window cling. First face with 100% ink, double sided with spot white.	1	EACH \$	\$	
27	Direct print graphics on transparent window cling. First face with 100% ink, double sided with spot white.	1	EACH \$	\$	

**Edinburg Consolidated Independent School District
CSP 22-36, South Middle School Cafeteria Furniture**

PROPOSAL FORM

ITEM #	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
TRASH CANS					
28	<p>42 gallon single unit, 24 1/2"W x 36"H x 24 1/2"D overall size, constructed from high-density 3/4" particleboard. All surfaces are laminated with high-pressure laminate inside and outside to prevent warping and ensure moisture control. Edges covered with a 3MM PVC machined edge that securely seals the edge and protects against impact. Units to be assembled with high strength fasteners (Minifix-15 connecting bolt) which enables ease of maintenance and component change out. Side have a 1/2" radius on all outside corners, except the top front, which shall have a 2" radius. The bottom edge of the side and back supports are fastened to a 16 gauge 5" x 21 5/8" x 23" steel base, open on the bottom for easy cleaning, and powder coated to prevent rust. Four (4) 2" casters bolted into the steel base to provide mobility and easy maintenance. A continuous stainless steel .060 ga. flap hinge to secure the 22 7/8" x 30" access door to the unit forming a flush, gap-free joint. A high strength ball catch to secure the door in a closed position. Trayslide top is comprised of a laminated top set into the trash unit. A 10" oval is cut out for easy trash disposal. Units to have a brushed aluminum pull. No touch chute. Unit to be supplied with a standard low-density polyethylene trash liner, with a round 42 gallon holding capacity on 2 1/2" rubber casters.</p> <p>HERCULES 42 GALLON TRASH UNIT</p>	4	EACH	\$	\$
29	<p>42 gallon double unit, 48 1/4"W x 36"H x 24 1/2"D overall size, constructed from high-density 3/4" particleboard. All surfaces are laminated with high-pressure laminate inside and outside to prevent warping and ensure moisture control. Edges covered with a 3MM PVC machined edge that securely seals the edge and protects against impact. Units to be assembled with high strength fasteners (Minifix-15 connecting bolt) which enables ease of maintenance and component change out. Side have a 1/2" radius on all outside corners, except the top front, which shall have a 2" radius. The bottom edge of the side and back supports are fastened to a 16 gauge 5" x 21 5/8" x 23" steel base, open on the bottom for easy cleaning, and powder coated to prevent rust. Four (4) 2" casters bolted into the steel base to provide mobility and easy maintenance. A continuous stainless steel .060 ga. flap hinge to secure the 22 7/8" x 30" access door to the unit forming a flush, gap-free joint. A high strength ball catch to secure the door in a closed position. Trayslide top is comprised of a laminated top set into the trash unit. A 10" oval is cut out for easy trash disposal. Units to have a brushed aluminum pull. No touch chute. Unit to be supplied with a standard low-density polyethylene trash liner, with a round 42 gallon holding capacity on 2 1/2" rubber casters.</p> <p>HERCULES 42 GALLON TRASH UNIT</p>	4	EACH	\$	\$
OTHER					
30	DELIVERY & UNLOADING OF PRODUCTS	1	EACH	\$	\$

Edinburg Consolidated Independent School District
CSP 22-36, South Middle School Cafeteria Furniture

PROPOSAL FORM

ITEM #	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
PAINT					
31	A premium eggshell commercial grade finish that attracts attention but repels scuffs and stains, waterbased two component polyurethane-fortified coating. Stands up to kick marks, bag marks everyday people traffic. The product will yield a lower life cycle cost than ordinary acrylic latex paint because its combined stain resistance and significantly higher ASTM scrub ratings will result in less permanent damage from wear and increased ability to clean repeatedly, ultimately reducing costs associated with re-painting. All finishes are created with water-based coatings for low VOCs and convenient lowodorapplication. In addition, a high performance primer will be applied to provide exceptional adhesion to the top premium eggshell commercial paint finish. Finish products have a Class A or Type I fire rating. 5 – Year manufacturer's warranty against adhesion failure. Painting of walls will consist of 2 or more coats of paint. 5 or more different paint colors will be used, enhancing the atmosphere of the new cafe. The paint design will also promote South MS REBCAT with associated mascot markings.	1	EACH	\$	\$
INSTALLATION					
32	To include assembly, placement of all product, removal and haul away of all debris.	1	EACH	\$	\$