



# EDINBURG CISD

**PURCHASING DEPARTMENT**  
411 N. 8<sup>th</sup> Ave., Edinburg, TX 78541  
(956) 289-2311, (956) 38-7687

DOMINGA "MINGA" VELA, President  
CARMEN GONZALEZ, Vice President  
OSCAR SALINAS, Secretary  
LUIS ALAMIA, Member  
MIGUEL "MIKE" FARIAS, Member  
LETICA "LETTY" GARCIA, Member  
XAVIER SALINAS, Member

*Dr. Mario H. Salinas, Superintendent*

## Request for COMPETITIVE SEALED PROPOSALS

NO: 22-46

**TITLE: Tools, Equipment & Related Items  
for Career & Technical Education – Capital  
Outlay**

**CLOSING TIME/DATE:**

Closing Time: 3:00 P.M.  
Closing Date: March 7, 2022

**BUYER:**

**Jacqueline Kingan, Senior Buyer**  
Phone: 956-289-2311, Ext.2137  
Fax: 956-383-7687  
Email: [j.kingan@ecisd.us](mailto:j.kingan@ecisd.us)

**DELIVER BIDS TO:**

Edinburg CISD  
Office of the Purchasing Director  
411 North 8<sup>th</sup> Ave, 2<sup>nd</sup> Floor  
Edinburg, TX 78541

**DATE Webbed: February 4, 2022**

This Proposal includes the following forms:

- Intent to Bid
- Vendor Check List
- Standard Terms & Conditions
- Felony Conviction Notification
- Conflict of Interest Questionnaire
- Certification of Interested Parties Example
- Deviation Form
- Authorization for W-9/Direct Deposit
- Special Terms & Conditions
- ATTACHMENT: Proposal Forms

*Amaro Tijerina* 2/4/22  
Purchasing Director Date

\*Do not deliver Bids/CSPs/RFPs/RFQs to other ECISD locations. All Bids/CSPs/RFPs/RFQs must be delivered to the delivery address above on or before the Bids/CSPs/RFP/RFQs closing time/date. Purchasing will not be responsible for late submittals as per Board Policy CH (LOCAL).

## Vendor Certification

The undersigned, by his/her signature, represents that he/she is authorized to bind the bidder to fully comply with the terms and conditions on this bid, including all forms and attachments included herein, for the amount(s) shown on the accompanying bid form(s), if accepted within sixty (60) calendar days after bid opening. **Note: Bidder is strongly encouraged to read the entire Solicitation prior to submitting. Failure to provide the above information in its entirety may be grounds for disqualification of response.**

Firm Name: \_\_\_\_\_

Telephone 1-800-\_\_\_\_\_

Address: \_\_\_\_\_

Or: \_\_\_\_\_

City: \_\_\_\_\_

Fax: \_\_\_\_\_

State: \_\_\_\_\_ Zip: \_\_\_\_\_

Web Address: \_\_\_\_\_

Email: \_\_\_\_\_

(Signature of Person Authorized to Sign Bid)

Date: \_\_\_\_\_

Printed Name: \_\_\_\_\_

Title: \_\_\_\_\_

(Please print or type name above)

I can deliver in \_\_\_\_\_ days. Early Payment Discount \_\_\_\_\_% if Paid in \_\_\_\_\_ Days, Net 30



## INTENT TO BID

Fax, this page only, if solicitation was not faxed or e-mailed directly to your company. All other solicitation documents must be enclosed in a sealed envelope and mailed to the Purchasing Department.

This page is required if solicitation was downloaded without receiving an invitation by the District. Please complete and fax to 956-383-7687 immediately in order to be added to the vendor list and receive addendums or updates regarding this solicitation. It is the intent of the Purchasing Department to ensure that all interested vendors receive addendums or updates, but it will be the vendor's responsibility to check the Purchasing site periodically. If there are addendums posted on the site and your company has not been notified by fax or e-mail, it will be the vendor's responsibility to download from Purchasing site and make sure to include with their packet.

The Edinburg CISD Purchasing solicitations and addendums are available on line at [www.ecisd.us](http://www.ecisd.us).

NAME: \_\_\_\_\_

TITLE: \_\_\_\_\_

ORGANIZATION: \_\_\_\_\_

STREET ADDRESS: \_\_\_\_\_

STREET ADDRESS 2: \_\_\_\_\_

CITY: \_\_\_\_\_

STATE: \_\_\_\_\_

ZIP CODE: \_\_\_\_\_

WORK PHONE: \_\_\_\_\_

FAX: \_\_\_\_\_

E-MAIL: \_\_\_\_\_

WEB SITE: \_\_\_\_\_

## VENDOR CHECK LIST

- |                                                                   |         |        |
|-------------------------------------------------------------------|---------|--------|
| 1. Signed Standard Terms & Conditions                             | ___ Yes | ___ No |
| 2. Signed Felony Conviction Notification                          | ___ Yes | ___ No |
| 3. Signed Conflict of Interest Questionnaire                      | ___ Yes | ___ No |
| 4. Signed Deviation Form                                          | ___ Yes | ___ No |
| 5. Read and understood Special Terms & Conditions                 | ___ Yes | ___ No |
| 6. Filled out Bid Form                                            | ___ Yes | ___ No |
| 7. Completed & submitted W9/Authorization for Direct Deposit Form | ___ Yes | ___ No |
| 8. Signed Certification of Interested Parties (Form 1295)         | ___ Yes | ___ No |
| 9. Completed & signed Vendor Check List                           | ___ Yes | ___ No |

I have read all the specifications and general bid requirements and do hereby certify that all items submitted meet all specifications, conditions, and instructions of said solicitation, and will follow District policy DBD (Local). The signature below confirms that our company will enter into a binding contract with Edinburg CISD for item(s) awarded to our company.

\_\_\_\_\_  
Company Name

\_\_\_\_\_  
Print/Type Signature Name

\_\_\_\_\_  
Authorized Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Official Title



**STANDARD TERMS & CONDITIONS**

(REVISED SEPTEMBER 2021)

PLEASE READ THE FOLLOWING CAREFULLY, AND RETURN THE SIGNATURE PAGE WITH YOUR BID OR PROPOSAL.

The following terms and conditions are requirements that are binding upon the vendor awarded the bid and they communicate the Edinburg School District's expectations in regard to the bidder's performance in connection with the district's purchase.

1. **Seller of Package Goods:** Seller will package goods in accordance with good commercial practice. Each shipping container shall be clearly and permanently packed as follows:
  - a. Seller's name and address;
  - b. Consignee's name, address and purchase order or purchase release number and the supply agreement number if applicable;
  - c. Container number and total number of containers, e.g. box 1 of 4 boxes; and the number of the container bearing the packing slip.
  - d. Seller shall bear cost of packaging unless otherwise provided.
  - e. Goods shall be suitably packed to secure lowest transportation costs and to conform to requirements of common carriers and any applicable specifications.
  - f. Buyer's count or weight shall be final and conclusive on shipments not accompanied by packing lists.
2. **Shipment under Reservation Prohibited:** Seller is not authorized to ship the goods under reservation and no tender of a bill of lading will operate as a tender of goods.
3. **Title and Risk of Loss:** The title and risk of loss of the goods shall not pass to Buyer until Buyer actually receives and takes possession of the goods at the point or points of delivery.
4. **Delivery Terms and Transportation Charges:** F.O.B. Destination Freight Prepaid unless terms are specified otherwise in bid:
5. **No Placement of Defective Tender:** Every tender or delivery of goods must fully comply with all provisions of this contract as to time of delivery, quality and the like. If a tender is made which does not fully conform, this shall constitute a breach and Seller shall not have the right to substitute a conforming tender provided, where the time for performance has not yet expired, the Seller may reasonably notify Buyer of his intention to cure and may then make a conforming tender within the contract time but not afterward.
6. **Place of Delivery:** The place of delivery shall be that set forth on the purchase order. Any change thereto shall be effected by modification as provided for in Clause 20, "Modifications," hereof. The terms of this agreement are "no arrival, no sale."
7. **Invoices:** Seller shall submit separate invoices, in duplicate, on each purchase order after each delivery. Invoices shall indicate the purchase order number, shall be itemized and transportation charges, if any, shall be listed separately. A copy of the bill of lading, and the freight weight bill when applicable, should be attached to the invoice. Mail to:

**Edinburg Consolidated Independent School District  
Attn.: Accounts Payable Department  
Drawer 990  
Edinburg, Texas 78540-0990**

8. **Payments:** The payment shall not be due until the above instruments are submitted after delivery. Suppliers should keep the Accounts Payable Department advised of any changes in your remittance addresses.
9. **Taxes:** Do not include Federal Excise, State or City Sales Tax. School District shall furnish tax exemption certificate, if required.
10. **Gratuities:** The Buyer may, by written notice to the Seller, cancel this contract without liability to Seller if it is determined by Buyer that gratuities, in the form of entertainment, gifts, or otherwise, were offered or given by the Seller, or any agent, or representative of the Seller, to any officer or employee of the School District with a view toward securing a contract or securing favorable treatment with respect to the awarding or amending or the making or any determinations with respect to the performing of such a contract. In the event this contract is canceled by Buyer pursuant to this provision, Buyer shall be entitled, in addition to any other rights and remedies, to recover or withhold the amount of the cost incurred by Seller in providing such gratuities.
11. **Special Tools and Test Equipment:** If the price stated on the face hereof includes the cost of any special tooling or special test equipment fabricated or required by Seller for the purpose of filling this order, such special tooling equipment and any process sheets related thereto shall become the property of the Buyer and to the extent feasible shall be identified by the Seller as such.
12. **Warranty Price:** The price to be paid by the Buyer shall be that contained in Seller's bid which Seller warrants to be no higher than Seller's current prices on orders by others for products of the kind and specification covered by this agreement for similar quantities under similar or like conditions and methods of purchase. In the event Seller breaches this warranty, the prices of the items shall be reduced to the Seller's current prices on orders by others, or in the alternative, Buyer may cancel this contract without liability to Seller for breach or Seller's actual expense. The Seller warrants that no person or selling agency has been employed or retained to solicit or secure this contract upon an agreement or understanding for commission, percentage, brokerage, or contingent fee excepting bona fide employees of bona fide established commercial or selling agencies maintained by the Seller for the purpose of securing business. For breach or violation of this warranty, the Buyer shall have the right in addition to any other right or rights to cancel this contract without liability and to deduct from the contract price, or otherwise recover the full amount of such commission, percentage, brokerage or contingent fee.



## CSP 22-46, Tools, Equipment & Related Items for Career & Technical Education – Capital Outlay

13. **Warranty Products:** Seller warrants that the goods furnished will conform to the specifications, drawings and descriptions listed in the bid invitation and to the sample(s) furnished by Seller, if any. In the event of a conflict between the specifications, drawings and descriptions, the specifications shall govern. Seller shall not limit or exclude any implied warranties and any attempt to do so shall render this contract voidable at the option of the Buyer.
14. **Safety Warranty:** Seller warrants that the product sold to Buyer shall conform to the standards promulgated by the U.S. Department of Labor under the Occupational Safety and Health Act (OSHA) of 1970. In the event the product does not conform to OSHA standards, Buyer may return the product for correction or replacement at the Seller's expense. In the event Seller fails to make the appropriate correction within 15 working days, correction made by Buyer will be at Seller's expense.
15. **No Warranty by Buyer against Infringements:** As part of this contract for sale, Seller agrees to ascertain whether goods manufactured in accordance with the specifications attached to this agreement will give rise to the rightful claim of any third person by way of infringement or the like. Buyer makes no warranty that the production of goods according to the specification will not give rise to such a claim, and in no event shall Buyer be liable to Seller for indemnification in the event that Seller is sued on the grounds of infringement or the like. If Seller is of the opinion that an infringement or the like will result, the Seller will notify Buyer to this effect in writing within two weeks after the signing of this agreement. If Buyer does not receive notice and is subsequently held liable for the infringement or the like, Seller will hold Buyer harmless. If Seller in good faith ascertains that production of the goods in accordance with the specifications will result in infringement or the like, this contract shall be null and void except that Buyer will pay Seller the reasonable cost of his search as to infringements.
16. **Right of Inspection:** Buyer shall have the right to inspect the goods at delivery before accepting them.
17. **Cancellation:** Buyer shall have the right to cancel for default all or any part of the undelivered portion of this order if Seller breaches any of the terms hereof including warranties of Seller or if the Seller becomes insolvent or commits acts of bankruptcy. Such right of cancellation is in addition to and not in lieu of any other remedies, which Buyer may have in law or equity.
18. **Termination:** The performance of work under this order may be terminated in whole or in part by the Buyer in accordance with this provision. Termination of work there under shall be effected by the delivery to the Seller of a "Notice of Termination" specifying the extent to which performance of work under the order is terminated and the date upon which such termination becomes effective. Such right of termination is in addition to and not in lieu of rights of Buyer set forth in Clause 15, herein.
19. **Force Majeure:** If by reason of Force Majeure, either party hereto shall be rendered unable wholly or in part to carry out its obligations under this Agreement then such party shall give notice and full particulars of Force Majeure in writing to the other party within a reasonable time after occurrence of the event or cause relied upon, and the obligation of the party giving such notice, so far as it is affected by such Force Majeure, shall be suspended during the continuance of the inability then claimed, except as hereinafter provided, but for no longer period, and such party shall endeavor to remove or overcome such inability with all reasonable dispatch. The term Force Majeure as employed herein, shall mean acts of God, strikes, lockouts, or other industrial disturbances, act of public enemy, orders of any kind of government of the United States or the State of Texas or any civil or military authority; insurrections; riots; epidemics; landslides; land sinkage; lighting; earthquake; fires; hurricanes; storms; floods; washouts; droughts; arrests; restraint of government and people; civil disturbances; explosions, breakage or accidents to machinery, pipelines or canals, or other causes not reasonably within the control of the party claiming such inability. It is understood and agreed that the settlement of strikes and lockouts shall be entirely within the discretion of the party having the difficulty, and that the above requirement that any Force Majeure shall be remedied with all reasonable dispatch shall not require the settlement of strikes and lockouts by acceding to the demands of the opposing party or parties when such settlement is unfavorable in the judgment of the party having the difficulty.
20. **Assignment Delegation:** No right or interest in this contract shall be assigned or delegation of any obligation made by Seller without the written permission of the Buyer. Any attempted assignment or delegation by Seller shall be wholly void and totally ineffective for all purposes unless made in conformity with this paragraph.
21. **Waiver:** No claim or right arising out of a breach of this contract can be discharged in whole or in part by a waiver or renunciation of the claim or right unless the waiver or renunciation is supported by consideration and is in writing signed by the aggrieved.
22. **Modifications:** This contract can be modified or rescinded only by a writing signed by both parties to the contract or their duly authorized agents.
23. **Interpretation Parole Evidence:** This writing is intended by the parties as a final expression of their agreement and is intended also as a complete and exclusive statement of the terms of their agreement. No course of prior dealings between the parties and no usage of the trade shall be relevant to supplement or explain any term used in this agreement. Acceptance or acquiescence in a course of performance rendered under this agreement shall not be relevant to determine the meaning of this agreement even though the accepting or acquiescing party has knowledge of the performance and opportunity for objection. Whenever a term defined by the Uniform Commercial Code is used in this agreement, the definition contained in the Code is to control.
24. **Applicable Law:** This agreement shall be governed by the Uniform Commercial Code. Wherever the term "Uniform Commercial Code" is used, it shall be construed as meaning the Uniform Commercial Code as adopted in the State of Texas effective and in force on the date of this agreement.
25. **Advertising:** Seller shall not advertise or publish, without Buyer's prior consent, the fact that Buyer has entered into this contract, except to the extent necessary to comply with proper requests for information from an authorized representative of the federal, state or local government.
26. **Right to Assurance:** Whenever one party to this contract in good faith has reason to question the other party's intent to perform he/she may demand that the other party give written assurance of his/hers business intent to perform. In the event that a demand is made and no assurance is given within five (5) days, the demanding party may treat this failure as an anticipatory repudiation of the contract.



## CSP 22-46, Tools, Equipment & Related Items for Career & Technical Education – Capital Outlay

27. **Venue:** Both parties agree that venue for any litigation arising from this contract shall lie in Hidalgo County, Texas.
28. **Prohibition Against Personal Interest in Contracts:** Any board member which has any substantial interest, either direct or indirect, in any business entity seeking to contract with the district, shall, before any vote or decision on any matter involving the business entity, file an affidavit stating the nature and extent of interest and shall abstain from any participation in the matter. This is not required if the vote or decision will not have any special effect on the entity other than its effect on the public. However, if a majority of the governing body are also required to file, and do file similar affidavits, then the member is not required to abstain from further participation. Vernon's Texas Codes Annotated, Local Government Code. Chapter 171.
29. **Penalties for Non-Performance:** If, at any time, the contractor fails to fulfill or abide by the terms, conditions, or specifications of the contract, the Edinburg Consolidated Independent School District reserves the right to:
- Purchase on the open market and charge the contractor the difference between contract and actual purchase price, or
  - Deduct such charges from existing invoice totals due at the time, or
  - Cancel the contract within thirty (30) days written notification of intent
30. **Right to Investigate:**
- Capacity
  - Financial Information
  - Business Records (Federally Funded Contracts)
31. **Bidder Qualification:** Bidders not on the District's bid list, may be required to prove their qualifications concerning the following criteria:
- Financial capabilities
  - Bonding status
  - Contractual history (references)
  - Ability to fulfill and abide by the terms and specifications
  - Quality and stability of product and sources
32. **District Bid Forms:** Bid proposal not submitted on District's bid forms will be rejected. Faxed or e-mail submittals will not be accepted. These forms of submittals will be destroyed or deleted and the vendor will be notified immediately.
33. **Addendums:** In the event that it becomes necessary to clarify or revise this solicitation, such clarification or revision will be by an addendum. Any addendum will be posted on the District's Purchasing Website. It will be the vendor's responsibility to check the site for any and all addendums. Any addendums to this solicitation shall become part of this solicitation. It is also at the District's discretion to fax or email addendums as deemed necessary.
34. **Delinquent School Taxes:** The Edinburg CISD shall not do business with any individual or company that is delinquent in the payment of their school taxes. In accordance with law, the District shall not enter into a contract or other transaction with a person indebted to the District, nor shall the District award a contract to or enter into a transaction with an apparent low Contractor or successful proposer indebted to the District.
- \_\_\_\_\_ I am not a delinquent taxpayer to the Edinburg CISD.
- \_\_\_\_\_ I am a delinquent taxpayer to Edinburg ISD (your bid may be disqualified if your debt is not cleared prior to award.)
35. **"OR EQUAL" Products:** Whenever an article or material is defined by describing a proprietary product or by using the name of a manufacturer, the term "or equal", if not inserted, shall be implied. The specified article or material shall be understood as indicating the type, function, minimum standard of design, efficiency, and quality desired and shall not be construed as to exclude other manufactured products of comparable quality, design and efficiency. The District reserves the right to waive any or all technicalities, and shall be the sole judge in determining equality, technicalities and formalities. Bidders offering substitute items must indicate manufacturer's name and model number.
36. **Deviation(s) –** Any deviation(s) to the specification(s) shall be listed on a separate sheet(s) of paper and attached to the bid response form identifying the section number, component(s) with deviation(s) and a clearly defined explanation for the deviation(s). It is the bidder's responsibility to submit a bid that meets all mandatory specifications stated within. Because of the variations in manufacturer's construction, the bidder must compare their product bid with the required listed minimum specifications and identify any deviations. Failure to properly identify deviations may render the bidder's proposal non-responsive and not capable of consideration for award. Bidders should note that a descriptive brochure of the model bid may not be sufficient or acceptable as proper identification of deviations from the written specifications.
37. **Right to award:** The District reserves the right to award the bid in its entirety, partially, or reject it. The District reserves the right to buy any and/or all supplies from any vendor.
38. **Right to increase or decrease quantities:** The District reserves the right to increase or decrease the number of articles called for in any item of the specifications or to eliminate items entirely. Bidder's proposal will be adjusted in accordance with the unit price quoted therein.
39. **Renewal Option for Term Contracts:** There will be a renewal option to extend this term contracts, if applicable, for an additional one (1) year period if all parties agree to the renewal in writing and all bid prices, discounts, terms and conditions remain the same. In no instance shall this extension be considered automatic.
40. **Warranty & Guarantees:** Except as otherwise specified, the bidder warrants and guarantees all work against defects in materials, equipment or workmanship for one (1) year from the date of final acceptance. Upon receipt of written notice from the District of the discovery of any defects, the bidder shall remedy the defects and replace any property damaged there from occurring within the warranty and guarantee period.



**CSP 22-46, Tools, Equipment & Related Items for Career & Technical Education – Capital Outlay**

- 41. **Evaluation Factors:** The bid award shall be based on the following evaluation factors:
  - a. the purchase price;
  - b. the reputation of the vendor and of the vendor's goods or services;
  - c. the quality of the vendor's goods or services;
  - d. the extent to which the goods or services meet the district's needs;
  - e. the vendor's past relationship with the district;
  - f. the total long-term cost to the district to acquire the vendor's goods or services
  
- 42. **Non-Collusive Bidding Certification:** By submission of this bid or proposal, the bidder certifies that:
  - a. This bid or proposal has been independently arrived at without collusion with any other bidder or with any competitor;
  - b. This bid or proposal has not been knowingly disclosed and will not be knowingly disclosed, prior to the opening of bids, or proposals for this project, to any other bidder, competitor or potential competitor;
  - c. No attempt has been or will be made to induce any other person, partnership or corporation to submit or not to submit a bid or proposal;
  - d. The person signing this bid or proposal certifies that he has fully informed himself regarding the accuracy of the statements contained in this certification, and under the penalties being applicable to the bidder as well as to the person signing in its behalf.
  
- 43. **EEOC Non-Discrimination Statement:** It is the policy of Edinburg CISD not to discriminate on the basis of sex, age, handicap, religion, race, color, or national origin in its educational programs.
  
- 44. **Conflict of Interest Disclosure:** Pursuant to Chapter 176, Texas Local Government Code, vendors doing or seeking to do business with Edinburg CISD must submit a Conflict of Interest disclosure form if they have a business relationship as defined by Section 176.001 (1-a) with a local government entity and meet the disclosure requirements of Section 176.006(a). A person commits an offense (Class C misdemeanor) if they knowingly violate Section 176.006, Local Government Code.
  
- 45. **Certificate of Interested Parties:** All Bids, CSPs, RFPs, RFQs prior to award or award of Contract by the School Board will require that the Texas Ethics Commission (TEC) Form 1295 Electronic (on line) Vendor filing procedure be completed by Vendor. All Vendors being recommended to the Board of Trustees for award or renewal of award on Agenda must register and obtain a TEC Certification for the specific award. This certification Form 1295 must be electronically submitted, printed and notarized. Notarized form must be submitted as a required form for this solicitation. There is no charge for this TEC online process.

Texas Ethics Commission (TEC) Form 1295 must be completed (by firm – on line "New Form 1295 Certificate of Interested Parties Electronic Filing Application" site at: [https://www.ethics.state.tx.us/whatsnew/elf\\_info\\_form1295.htm](https://www.ethics.state.tx.us/whatsnew/elf_info_form1295.htm)). The TEC website includes Question/Answers and Video instructions.

- 46. **Declaration of Business Location – Texas Education Code 44.031 (b)(8).** By signing below, Contractor certified the Contractor's or the Contractor's ultimate parent company or majority owner:
  - \_\_\_\_ A. Has its principal place of business in the State of Texas; OR \_\_\_\_ B. Employs at least 500 persons in the State of Texas
  - \_\_\_\_ C. Principal Place of business is not in the State of Texas: \_\_\_\_\_ (City,State)

- 47. **Owner(s) Name of Business:** By signing below, Contractor certified the owner(s) name of the business submitting bid is/are: (Please print name(s) below. If not applicable, please indicate N/A.)

_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

- 48. **Texas Historically Underutilized Business (HUB) - Texas Education Code 44.031(b)(6) or Small and Minority Firms, Women's Business Enterprises and Labor Surplus Area Firm:** Contractor certified the Bidder's company is HUB certified with the State of Texas.

\_\_\_\_ I am an Active certified HUB vendor. HUB expiration date: \_\_\_\_\_

\_\_\_\_ Small and Minority Firms, Women's Business Enterprises and Labor Surplus Area Firms

\_\_\_\_ I am neither.

- 49. **Criminal History Record Information Review of Certain Contract Employees:** By signing below, the Contractor agrees to comply with Section 22.0834. Criminal History Record Information Review of Certain Contract Employees, Texas Education Code if awarded a contract through this solicitation. The undersigned Contractor, if awarded a contract, shall obtain criminal history record information through the criminal history clearinghouse as provided by Section 411.0845, Government Code relating to an employee or applicant who has or will have continuing duties related to the contracted services; and the employee or applicant has or will have direct contact with students. The contractor agrees to certify of the receipt of criminal history record information before or immediately after employing or securing the services of the employee or applicant that has or will have continuing duties related to the contracted services if the employee or applicant has or will have direct contact with students. The Contractor further agrees that if awarded a contract, shall assume all expenses associated with the criminal background check and shall immediately remove any employee or agent who was convicted of a felony, or misdemeanor involving moral turpitude, as defined by Texas law, from District property or the location where students are present.



## CSP 22-46, Tools, Equipment & Related Items for Career & Technical Education – Capital Outlay

\_\_\_\_\_ None of my employees and any of the subcontractors has or will have continuing duties related to the contracted services; and has or will have direct contact with students. I further certify that my company has taken precautions or imposed conditions to ensure that my employees and any subcontractor will not have continuing duties related to the contracted services; and will not have direct contact with students throughout the term of the Contract.

OR

\_\_\_\_\_ Some or all of my employees and/or my subcontractors will have continuing duties related to the contracted services; and will have direct contact with students. I further certify that:

1. I have obtained all required criminal history record information regarding all of my employees and/or my subcontractors. None of my employees and/or my subcontractors has any conviction or other criminal history information if at the time of the offense, the victim was under 18 or enrolled in a public school: (a) a felony offense under Title 5, Texas Penal Code; (b) an offense for which a defendant is required to register as a sex offender under Chapter 62, Texas Code of Criminal Procedures; or (c) an equivalent offense under federal law or the laws of another state. IF AVAILABLE, ATTACH A COPY OF YOUR FAST PASS RECEIPT.
2. If you received information that any of my employees and/or subcontractors subsequently has a reported criminal history, I will immediately remove the covered employee from contract duties and notify the District in writing immediately.
3. I will provide the District with the names and any other requested information regarding any of my employees and/or subcontractors so the District may obtain criminal history record information if awarded a contract.
4. If the District objects to the assignment of any of my employees and/or subcontractors, I agree to discontinue using the individual to provide services to the District.

50. **Contract Provisions for contracts under Federal Awards:** By submission of this bid, Contractor agrees to comply with the following provisions.

50.1 Contracts for more than the simplified acquisition threshold currently set at \$150,000, which is the inflation adjusted amount determined by the Civilian Agency Acquisition Council and the Defense Acquisition Regulation Council (Councils) as authorized by 41 U.S.C. 1908, must address administrative, contractual, or legal remedies in instances where contractors violate or breach contract terms, and provide for such sanctions and penalties as appropriate.

50.2 All contracts in excess of \$10,000 must address termination for cause and for convenience including the manner by which it will be effected and the basis for settlement.

50.3 Equal Employment Opportunity. Except as otherwise provided under 41 CFR Part 60, all contracts that meet the definition of "federally assisted construction contract" in 41 CFR Part 60-1.3 must include the equal opportunity clause provided under 41 CFR 60-1.4(b), in accordance with Executive Order 11246, "Equal Employment Opportunity" (30 FR 12319, 12935, 3 CFR Part, 1964-1965 Comp., p. 339), as amended by Executive Order 11375, "Amending Executive Order 11246 Relating to Equal Employment Opportunity," and implementing regulations at 41 CFR part 60, "Office of Federal Contract Compliance Programs, Equal Employment Opportunity, Department of Labor."

50.4 Davis-Bacon Act, as amended (40 U.S.C. 3141-3148). When required by Federal program legislation, all prime construction contracts in excess of \$12,000 must include a provision for compliance with the Davis-Bacon Act (40 U.S.C 3141-3144, and 3146-3148 as supplemented by Department of Labor regulations (29 CFR Part 5, "Labor Standards Provisions Applicable to Contracts Covering Federally Finance and Assisted Construction"). In accordance with the statute, contractors must be required to pay wages to laborers and mechanics at a rate not less than the prevailing wages specified in a wage determination made by the Secretary of Labor. In addition, contractors must be required to pay wages not less than once a week. The non-Federal entity must place a copy of the current prevailing wage determination issued by the Department of Labor in each solicitation. The decision to award a contract or subcontract must be conditioned upon the acceptance of the wage determination. The entity must report all suspected or reported violations to the Federal awarding agency. The contracts must also include a provision for compliance with the Copeland "Anti-Kickback" Act (40 U.S.C. 3145) as supplemented by Department of Labor regulations (20 CFR Part 3, "Contractors and Subcontractors on Public Building or Public Work Financed in Whole or in Part by Loans or Grants from the United States"). The Act provides that each contractor or sub-recipient must be prohibited from including, by any means, any person employed in the construction, completion, or repair of public work, to give up any part of the compensation to which he or she is otherwise entitled. The entity must repair all suspected or reported violation to the Federal awarding agency.

50.5 Contract Work Hours and Safety Standards Act (40 U.S.C. 3701-3708). Where applicable, all contracts awarded in excess of \$100,000 that involve the employment of mechanics or laborers must include a provision for compliance with 40 U.S.C. 3702 and 3704, as supplemented by Department of Labor regulations (29 CFR Part 5). Under 40 U.S.C. 3702 of the Act, each contractor must be required to compute the wages of every mechanic and laborer on the basis of a standard work week of 40 hours. Work in excess of the standard work week is permissible provided that the worker is compensated at a rate of not less than one and a half times the basic rate of pay for all hours worked in excess of 40 hours in the work week. The requirements of 40 U.S.C. 3704 are applicable to construction work and provide that no laborer or mechanic must be required to work in surroundings or under working conditions which are unsanitary, hazardous or dangerous. These requirements do not apply to the purchases of supplies or materials or articles ordinarily available on the open market, or contracts for transportation or transmission of intelligence.

50.6 Rights to Inventions Made Under a Contract or Agreement. If the Federal award meets the definition of "funding agreement" under 37 CFR §401.2 (a) and the recipient or sub recipient wishes to enter into a contract with a small business firm or nonprofit organization regarding the substitution of parties, assignment or performance of experimental,



**CSP 22-46, Tools, Equipment & Related Items for Career & Technical Education – Capital Outlay**

developmental, or research work under that "funding agreement," the recipient or sub recipient must comply with the requirements of 37 CFR Part 401, "Rights to Inventions Made by Nonprofit Organizations and Small Business Firms Under Government Grants, Contracts and Cooperative Agreements," and any implementing regulations issued by the awarding agency.

- 50.7 Clean Air Act (42 U.S.C. 7401-7671q.) and the Federal Water Pollution Control Act (33 U.S.C. 1251-1387), as amended—Contracts and sub grants of amounts in excess of \$150,000 must contain a provision that requires the award to agree to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act (42 U.S.C. 7401-7671q) and the Federal Water Pollution Control Act as amended (33 U.S.C. 1251-1387). Violations must be reported to the Federal awarding agency and the Regional Office of the Environmental Protection Agency (EPA).
- 50.8 Debarment and Suspension (Executive Orders 12549 and 12689)—A contract award (see 2 CFR 180.220) must not be made to parties listed on the government wide exclusions in the System for Award Management (SAM), in accordance with the OMB guidelines at 2 CFR 180 that implement Executive Orders 12549 (3 CFR part 1986 Comp., p. 189) and 12689 (3 CFR part 1989 Comp., p. 235), "Debarment and Suspension." SAM Exclusions contains the names of parties debarred, suspended, or otherwise excluded by agencies, as well as parties declared ineligible under statutory or regulatory authority other than Executive Order 12549.
- 50.9 Byrd Anti-Lobbying Amendment (31 U.S.C. 1352)—Contractors that apply or bid for an award exceeding \$100,000 must file the required certification. Each tier certifies to the tier above that it will not and has not used Federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of Congress, officer or employee of Congress, or an employee of a member of Congress in connection with obtaining any Federal contract, grant or any other award covered by 31 U.S.C. 1352. Each tier must also disclose any lobbying with non-Federal funds that takes place in connection with obtaining any Federal award. Such disclosures are forwarded from tier to tier up to the award.
- 50.10 A an entity that is a state agency or agency of a political subdivision of a state and its contractors must comply with section 6002 of the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act. The requirements of Section 6002 include procuring only items designated in guidelines of the Environmental Protection Agency (EPA) at 40 CFR part 247 that contain the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition, where the purchase price of the item exceeds \$10,000 or the value of the quantity acquired during the preceding fiscal year exceeded \$10,000; procuring solid waste management services in a manner that maximizes energy and resource recovery; and establishing an affirmative procurement program for procurement of recovered materials identified in the EPA guidelines.
- 51. Debarment and Suspension (Executive Orders 12549 and 12689): By signing below Contractor certified that neither it nor its principals are currently listed on the government-wide exclusions in SAM as debarred, suspended, or otherwise excluded by agencies or declared ineligible under statutory or regulatory authority other than Executive Order 12549. Contractor further agrees to immediately notify the District if he/she is later listed on the government-wide exclusions in SAM, or is debarred, suspended, or otherwise excluded by agencies or declared ineligible under statutory or regulatory authority other than Executive Order 12549.
- 52. Vendor must comply with H.B. No. 89 Chapter 2270. Prohibition on Contracts with Companies Boycotting Israel.
- 53. Vendor must comply with Senate Bill 13 Chapter 809. Prohibition on Contracts with Companies Boycotting Certain Energy Companies.
- 54. Vendor must comply with Senate Bill 19 Chapter 2274. Prohibition on Contracts with Companies that Discriminate Against Firearm and Ammunition Industries.

**I, the undersigned authorize agent for the company named below, certify that the information concerning Section 1-54 listed above has been reviewed by me and the information furnished is true to the best of my knowledge. I further certify that I agree to comply with Sections 1-54 listed above.**

\_\_\_\_\_  
Print/Type Signature Name

\_\_\_\_\_  
Official Title

\_\_\_\_\_  
Authorized Signature

\_\_\_\_\_  
Date



**FELONY CONVICTION NOTIFICATION**

---

State of Texas Legislative Senate Bill No. 1, Section 44.034, Notification of Criminal History, Subsection (a), states "a person or business entity that enters into a contract with a school district must give advance notice to the district if the person or an owner or operator of the business entity has been convicted of a felony. The notice must include a general description of the conduct resulting in the conviction of a felony."

Subsection (b) states "a school district may terminate a contract with a person or business entity if the district determines that the person or the person or business entity failed to give notice as required by Subsection (a) or misrepresented the conduct resulting in the conviction. The district must compensate the person or business entity for services performed before the termination of the contract."

This Notice Is Not Required of a Publicly-Held Corporation

I, the undersigned agent for the firm named below, certify that the information concerning notification of felony convictions has been reviewed by me and the following information furnished is true to the best of my knowledge.

\_\_\_\_\_  
Vendor's Name

\_\_\_\_\_  
Authorized Company Official's Name (Printed)

A. My firm is a publicly-held corporation; therefore, this reporting requirement is not applicable.

\_\_\_\_\_  
Signature of Company Official

B. My firm is not owned nor operated by anyone who has been convicted of a felony:

\_\_\_\_\_  
Signature of Company Official

C. My firm is owned or operated by the following individual(s) who has/have been convicted of a felony:

\_\_\_\_\_  
Names of Felon(s)

\_\_\_\_\_  
Details of Conviction(s)

\_\_\_\_\_  
Signature of Company Official



# CONFLICT OF INTEREST QUESTIONNAIRE

FORM CIQ

For vendor or other person doing business with local governmental entity

This questionnaire reflects changes made to the law by the H.B. 1491 80<sup>th</sup> Leg., Regular Session.

This questionnaire is being filed in accordance with Chapter 176, Local Government Code by a person who has a business relationship as defined by Section 176.001(1-a) with a local governmental entity and the person meets requirements under Section 176.006(a).

By law this questionnaire must be filed with the records administrator of the local governmental entity not later than the 7<sup>th</sup> business day after the date the person becomes aware of facts that require the statement to be filed. See Section 176.006, Local Government Code.

A person commits an offense if the person knowingly violates Section 176.006, Local Government Code. An offense under this section is a Class C misdemeanor.

**OFFICE USE ONLY**

Date Received

1 Name of person doing business with local governmental entity.

2

Check this box if you are filing an update to a previously filed questionnaire.

(The law requires that you file an updated completed questionnaire with the appropriate filing authority not later than September 1 of the year for which an activity described in Section 176.006 (a), Local Government Code, is pending and not later than the 7<sup>th</sup> business day after the date the originally filed questionnaire becomes incomplete or inaccurate.)

3

Name of local government officer with whom filer has employment or business relationship.

\_\_\_\_\_ Name of Officer

This section (item 3 including subparts A, B, C & D) must be completed for each officer with whom the filer has an employment or other business relationship as defined by Section 176.001(1-a), Local Government Code. Attached additional pages to this form CIQ as necessary.

A. Is the local government officer named in this section receiving or likely to receive taxable income, other than investment income, from the filer of the questionnaire?

Yes  No

B. Is the filer of the questionnaire receiving or likely to receive taxable income, other than investment income,

Yes  No

C. Is the filer of this questionnaire employed by a corporation or other business entity with respect to which the local government officer serves as an officer or director, or holds an ownership of 10 percent or more?

Yes  No

D. Describe each employment or business relationship with the local government officer named in this section

4

\_\_\_\_\_ Signature of person doing business with the governmental entity

\_\_\_\_\_ Date



## CERTIFICATION OF INTERESTED PARTIES – FORM 1295

### Definitions and Instructions for Completing Form 1295

Edinburg Consolidated Independent School District is required to comply with House Bill 1295, which amended the Texas Government Code by adding Section 2252.908, Disclosure of Interested Parties. Section 2252.908 prohibits Edinburg CISD from entering into a contract resulting from a Bid, CSP, RFP, RFQ, Inter-local Cooperative Quote with a business entity unless the business entity submits a Disclosure of Interested Parties – Form 1295 to Edinburg CISD at the time the business entity submits the signed contract. The Texas Ethics Commission has adopted rules requiring the business entity to file Form 1295 electronically with the Texas Ethics Commission.

*As a “business entity,” vendors must electronically complete, print, manually fill out Unsworn Declaration portion and sign. Once form is completed, submit with your proposals or contracts even if no interested parties exist.*

Proposers must file Certificate of Interested Parties – Form 1295 with the Texas Ethics Commission using the following online application:  
[https://www.ethics.state.tx.us/whatsnew/elf\\_info\\_form1295.htm](https://www.ethics.state.tx.us/whatsnew/elf_info_form1295.htm)

- Proposers must use the filing application on the Texas Ethics Commission’s website (see link above) to enter the required information on Form 1295.
- Proposers must print a copy of the completed form, which will include a certification of filing containing a unique certification number.
- The Form 1295 must be printed and then signed by an authorized agent of the business entity.
- The completed Form 1295 with the certification of filing must be filed with Edinburg Consolidated Independent School District by including a copy of the completed form with the proposal response.
- Edinburg CISD must acknowledge the receipt of the filed Form 1295 by notifying the Texas Ethics Commission of the receipt of the filed Form 1295 no later than the 30<sup>th</sup> day after the date the contract binds all parties to the contract.
- After Edinburg CISD acknowledges the Form 1295, the Texas Ethics Commission will post the completed Form 1295 to its website within seven (7) business days after receiving notice from Edinburg CISD.

### Instructions to Vendors:

1. Read these instructions,
2. Go to the Ethics Commission Website [https://www.ethics.state.tx.us/whatsnew/elf\\_info\\_form1295.htm](https://www.ethics.state.tx.us/whatsnew/elf_info_form1295.htm),
3. Register and complete Form 1295 online - include the bid/proposal # and the contract/(Bid,CSP,RFQ,RFP name,
4. Print a copy of the submitted Form 1295 and sign - it will have a certification # in the top right corner,
5. Include a copy of the completed, signed Form 1295 with the proposal response.

### Definitions:

- **Interested Party:** a person who:
  - 1) has controlling interest in a business entity with whom Edinburg CISD contracts; or
  - 2) actively participates in facilitating a contract or negotiating the terms of a contract, including a broker, intermediary, adviser, or attorney for the business entity.
- **Controlling Interest** means:
  - 1) an ownership interest or participating interest in a business entity by virtue of units, percentage, shares, stock, or otherwise that exceeds 10 percent;
  - 2) membership on the board of directors or other governing body of a business entity of which the board or other governing body is composed of not more than 10 members; or
  - 3) service as an officer of a business entity that has four or fewer officers, or service as one of the four officers most highly compensated by a business entity that has more than four officers.
- **Intermediary:** a person who actively participates in the facilitation of the contract or negotiating the contract, including a broker, advisor, attorney, or representative of or agent for the business entity who:
  - 1) receives compensation from the business entity for the person’s participation;
  - 2) communicates directly with the governmental entity or state agency on behalf of the business entity regarding the contract; and
  - 3) is not an employee of the business entity.
- **Business Entity:** includes an entity through which business is conducted with a governmental entity or state agency, regardless of whether the entity is a for-profit or nonprofit entity.

### Resources:

#### Form 1295 Frequently Asked Questions:

- [https://www.ethics.state.tx.us/whatsnew/FAQ\\_Form1295.html](https://www.ethics.state.tx.us/whatsnew/FAQ_Form1295.html)

#### Instructional Video – First Time Business User:

- <https://www.ethics.state.tx.us/filinginfo/videos/Form1295/FirstLogin-Business/Form1295Login-Business.html>

#### Instructional Video – How to Create a Certificate:

- <https://www.ethics.state.tx.us/filinginfo/videos/Form1295/CreateCertificate/CreateCertificate.html>











## Edinburg Consolidated Independent School District Substitute W-9 & Direct Deposit Authorization Form

Complete form if: 1. You are a U.S. entity (including a resident alien) 2. You are a vendor that provides goods or services to ECISD; AND 3. You will receive payment from the Edinburg Consolidated ISD	New Request <input type="checkbox"/>	Update – Select from the following: Tax ID <input type="checkbox"/> Legal Name <input type="checkbox"/> Vendor Order Address <input type="checkbox"/> Direct Deposit <input type="checkbox"/> Contact Information <input type="checkbox"/> Vendor Payment Address <input type="checkbox"/>
Individual/Company/Entity Legal Name (Must match TIN below): _____		DBA Name (IF Applicable): _____
Taxpayer Identification Number (TIN) _____ - _____		<b>OR</b>
Federal Tax ID Number (FID) _____ - _____		SSN – Individual/Sole Proprietor _____ - _____
<b>Vendor Contact Information:</b>		
Name: _____	Title: _____	Phone: _____ Fax: _____
<b>Vendor Type – Select only one of the following boxes:</b>		
<input type="checkbox"/> Individual/Sole Proprietorship <input type="checkbox"/> C-Corporation <input type="checkbox"/> S-Corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Trust/Estate <input type="checkbox"/> Other: Explain _____		
<input type="checkbox"/> Limited Liability Company (LLC). Enter the tax classification (C=C corporation, S=S corporation, P=Partnership) _____		
<input type="checkbox"/> Exempt payee code (if any) _____ <input type="checkbox"/> Exemption from FATCA reporting code (if any) _____		
<b>Order Address:</b>		<b>Payment Remittance Address:</b>
Street/PO Box: _____		<input type="checkbox"/> Check if Order Address is same as Payment Address
Second Line: _____		Street/PO Box: _____
City: _____ State: _____ Zip Code: _____		Second Line: _____
		City: _____ State: _____ Zip Code: _____
<b>Banking Information:</b>		
In an effort to process your payment faster, we request that you complete the ACH enrollment section below. All fields must be completed for direct deposit setup. Attach a voided check or letter from your financial institution.		
Account Type:      Checking <input type="checkbox"/> Savings <input type="checkbox"/>	Email for Direct Deposit Notification: _____	
Bank Name: _____	ABA Routing Number: _____	
Bank Address: _____	Account Number: _____	
City: _____ State: _____ Zip Code: _____	Phone: _____	Fax: _____
<b>W-9 Certification</b>		<b>Direct Deposit Authorization and Agreement</b>
1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me), AND 2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Services (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding, AND 3. I am a U.S. citizen or other U.S. person.		I authorize Edinburg Consolidated Independent School District (ECISD) to initiate direct deposit of funds to the account and financial institution indicated above, and to recover funds deposited in error in necessary, in compliance with Texas and U.S. Law, and the Automatic Clearing House (ACH) rules. I understand that:  1. It is my responsibility to provide accurate and current banking information. Notification of direct deposits will be by e-mail; and it is my responsibility to provide a valid e-mail address.  2. It is my responsibility to verify payment has been credited to my account, and that ECISD assumes no liability for overdrafts for any reasons.  3. This authorization will remain in effect until: (a) a written request is received from a vendor officer to change or terminate direct deposit agreement; (b) notification is sent by my bank that the account is no longer valid.
<b>Certification Instructions:</b> You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions, to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the Certification, but you must provide your correct TIN.		
Signature: _____ Date: _____		Signature: _____ Date: _____
Print Name/Title: _____		Print Name/Title: _____
Send completed form to: ECISD requestor or: Mail to: Edinburg Consolidated Independent School District, ATTN: Accounts Payable, PO Box 990, Edinburg, TX 78540 <b>OR</b> ; E-mail: <a href="mailto:ECISDinvoice@ecisd.us">ECISDinvoice@ecisd.us</a> , <b>OR</b> ; Fax: 956-383-4354. Any Questions on this form, call 956-289-2300 ext. 2074		
<b>Finance Office Use Only: Updated Record on: _____ Updated by: _____ Bank Code: _____ Vendor #: _____</b>		



**SPECIAL TERMS & CONDITIONS**

---

1. **INTENTION:** It is the intention of the Board of Trustees of the Edinburg Consolidated Independent School District to receive proposals from interested vendors to select vendor(s) offering the best value for **TOOLS, EQUIPMENT & RELATED ITEMS FOR CAREER & TECHNICAL EDUCATION**.
2. **CONTACT:** Please call Jacqueline Kingan at 956-289-2311, ext. 2137 or e-mail to [j.kingan@ecisd.us](mailto:j.kingan@ecisd.us) if you have any questions regarding this proposal.
3. **CONTRACT SERVICE PERIOD:** This is a one-time purchase.
4. **EEOC NON-DISCRIMINATION STATEMENT:** It is the policy of Edinburg CISD not to discriminate on the basis of sex, age, handicap, religion, race, color, or national origin in its educational programs.
5. **ORDERING INFORMATION:** Purchasing Department will prepare the Purchase Orders after Board approval.
6. **RIGHT TO AWARD PROPOSALS:** The Edinburg CISD reserves the right to accept or reject any or all proposals.
7. **DISTRICT PROPOSAL FORM:** Proposals not submitted on the Edinburg CISD Proposal Form may be rejected.
8. **PAYMENT INFORMATION:** Payments will be made on the District's regular payment schedule.
9. **SPECIFICATIONS:** If not quoting the brand specified, include your specification and put the item number from the proposal.
10. **DELIVERY TIME:** You must put approximate time of delivery.
11. **FORMS TO BE FILLED OUT:** The following forms **MUST** be filled out:
  - a. Conflict of Interest (If it does not apply, put N/A and **Sign**).
  - b. Certificate of Interest Parties-Form 1295 (Does not need to be notarized, however, the bottom part **MUST** be filled out and **Signed**).
  - c. Edinburg Consolidated Independent School District Substitute W-9 and District Deposit Authorization Form (Fill out and **Sign**)
12. **ADDENDUMS:** It will be the vendor's responsibility to check the Purchasing Website for any addendums or additional information. ECISD website is [www.ecisd.us](http://www.ecisd.us). Click on Departments, then Purchasing. Once at the Purchasing site, locate the calendar list in middle and click on title of the solicitation. If you do not see it on the list, click the month button on top and you will see complete month with all solicitations the District is currently seeking out. Any questions, please contact the Purchasing office and we will assist you.



**EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT  
CSP 22-46, Tools, Equipemt & Related Items for Career & Technical Education  
PROPOSAL FORM**

**ITEM**

#	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
1	<p><b>SOLDERING/DESOLDERING STATION</b> This is a combined soldering and desoldering station specially designed for lead-free soldering/desoldering to meet RoHS requirements. The station has a built-in vacuum pump and incorporates electronic circlutry which enables the user to set the desoldering tip temperature between 150 degree C (302 degree F) and 480 degree C (896 degree F) and desoldering tip temperature between 300 degree C (572 degree F) and 450 degree C (842 degree F) without changing tips or heating elements. Temperature is maintaoned within +3 degree C (+6 degree F) of its operating temperature by a thermocouple sensor in the iron.<b>307A XYTRONIC 32V/90W SOLDERING IRON</b> <b>BRAND</b> _____ <b>MODEL</b> _____</p>	10	EACH		
2	<p><b>DIGITAL SOLDERING/DESOLDERING SYSTEM XYTRONIC 988D</b> Many innovative features - The pump will continue sucking for 1-2 seconds after actuator is released, clearing the tubes and preventing clogging of the tip. This space saving system integrates the soldering and desoldering functions into one. The solder wand has a ceramic element and an ergonomic mini-handle. The 988D's pump ie controlled by a finger actuated, thyristor switching circuit located on the desoldering handle. The detachable solder wands make for ease of use and repair. Weight - 12 lbs.; Color - Black; Power source AC; Voltage - 110; Wattage - 60 <b>BRAND</b> _____ <b>MODEL</b> _____</p>	11	EACH		
3	<p><b>PIRANHA P-65 IRONWORKER</b> Includes punching, bending, bar shear, angle shear, round bar shear, and an integrated coper/notcher; Has a dovetail slide that allows an operator to switch from punching to bending in just a few seconds; Has full eledtrical control of its stroke with a footswitch and limit switch stroke controls - this, coupled with urethane strippers and more horsepower per ton, gives the P-65 the fastest punching stroke in the industry; The no slog-loss shearing saves material, keeps the machine area cleaner, and offers larger material capacity; Can notch from thick to thin, remove the full leg from angle iron, shave even the smallest piece from the end of the work piece, and maintain total control of the part - from any angle <b>BRAND</b> _____ <b>MODEL</b> _____</p>	1	EACH		
4	<p><b>ENERPAC MODEL #IPE2505 HYDRAULIC PRESS, 25 TON, ELECTRIC PUMP</b> <b>TECHNICAL SPECIFICATIONS:</b> Frame capacity - 25 tons; Frame type - H Frame; Cylinder type - Single action; Cylinder stroke - 6-1/4"; Strokes to extend piston 1" - 2; Hose length - 6 ft.; Reservoir capacity - 0.5 gal.; Pump type - Electric; Total height - 81"; Total width - 41"; Working height - 81"; Working width - 41"; Base length - 41"; Base width - 31"; Bed height - 54.5"; Features - welded construction frame; Includes - Gauge GA2, Hose HC9306, Pump, Cylinder <b>BRAND</b> _____ <b>MODEL</b> _____</p>	1	EACH		



**EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT  
CSP 22-46, Tools, Equipemt & Related Items for Career & Technical Education  
PROPOSAL FORM**

**ITEM**

#	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
5	<p><b>DAYTON #40PM13 3/4 MOTOR HP FLOOR DRILL PRESS</b>  <b>TECHNICAL SPECIFICATIONS:</b> Drill press product grouping - General purpose drill presses; Drive type - Belt; Swing - 16-1/2"; Spindle taper - 2MT; Motor HP - 3/4; Sorded/cordless - corded; Spindle travel - 5"; Base size - 12-45/64" X 19-45/64"; Table work surface - 12" X 12"; Hz - 60; Phase - 1; Capacity steel - 1/2"; Capacity cast iron - 5/8"; Drilling capacity Wood - Not specified; Includes - Arbor, chuck and key; Power down feed included - No; Voltage - 120/240; Amps AC - 9.0/4.5; Number of speeds - Variable; Chuck size - 5/8"; Spindle speed - 260 to 2040 rpm; Number of T-slots - 0; Table slot size - 1/2"; Colimn diameter - 2-55/64"; Tolting angle - 45 degrees; Maximum spindle to base - 47"; Quill diameter - 2-11/32"; Spindle to table - 24"; Overall width - 15"; Overall depth - 27"; Overall height - 65"  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	1	EACH		
6	<p><b>LINCOLN TOMAHAWK 375 AIR HANDHELD PLASMA CUTTER K2806-1</b>  <b>TOP FEATURES:</b> Ultimate portabilityinternal air compressor enables operation in environments where external compressed air is not available; Continuous output control focus the arc for different material thickness; Touch start system reliable plasma arc initiation without high frequency; Rapid arc restrrike fast cutting through gaps, even expanded metal; Front panel purge control makes if easy to set the air flow rate withouy initiating the plasma arc. Input poser - 201/230/1/60; Plasma cutting for mild steel, stainless steel, aluminum, brass, copper; Rated output - 13A@85.2V 100% 18A@87.2V 60%; Input current - 21.7A; Output range - 10-25A; Dimensions (H X W X D) - 15.2" X8.5" X18.9"; Net weight - 40.00; Pilot current - 17A; Air pressure required - 80 - 110 psi; Air flow rate - 70 psi@125-200 SCFH 5 Bar @ 80 liters/mm  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	5	EACH		
7	<p><b>LINCOLN TOMAHAWK 1000 PLASMA CUTTER #K2808-1</b>  <b>FEATURES:</b> PowerConnect Technology - Automatically senses and adjusts to input power for a range of 200 up to 600 volts, single or three phase, 50 or 60 hertz. Cutting outpit remains constant throughout the entire inout voltage range; Continuous Output Control - Focus the arc for different material thickness; Touch tart system - Reliable plasma arc initiation without high frequency; Front Panel Purge Control - Makes it easy to set the air flow rate without initiating the plasma arc; Cool Operation, Long Consumable Life - New electrode and nozzel design save money in the long run; Added afety - Parts-in-place system detects correct installation of consimables and torch - K2808-1 includes: LC65 hand torch 25 ft. cable; Air regulator and pressure gauge; Internal water separator; Work clamp and cable; Spare consumables; Input power cord  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	4	EACH		



**EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT**  
**CSP 22-46, Tools, Equipemt & Related Items for Career & Technical Education**  
**PROPOSAL FORM**

**ITEM**

#	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
8	<b>CNC PLASMA CUTTING TABLE SYSTEM - LINCOLN ELECTRIC TOUCHMATE 4800</b> <b>FEATURES:</b> Automatic cut charts, 8 additional shapes in the Shape Library, 30% larger panel, multi-language capabilities, a new Metric Operation mode, and the Laser Pointer attachment to make your plasma cutting experience easier, with the 80 amp plasma 3/4" cut capacity - Item # LECS-080-4500-00 <b>BRAND</b> _____ <b>MODEL</b> _____	3	EACH		
9	<b>for item #8</b> <b>LINCOLN ELECTRIC PLATEGUARD WATER TABLE ADDITIVE (5 gallon)</b> Item number TMS-310-0001-00 <b>BRAND</b> _____ <b>MODEL</b> _____	3	EACH		
10	<b>for item #8</b> <b>LINCOLN ELECTRIC PNEUMATIC PLATE MARKING TOOL</b> Item number TMS-203-7000-24 <b>BRAND</b> _____ <b>MODEL</b> _____	3	EACH		
11	<b>for item #8</b> <b>LINCOLN ELECTRIC TMCAD EDUCATION: UNLIMITED STUDENT LICENSES, DESIGN &amp; ART</b> Item number TMS-106-0011-19 <b>BRAND</b> _____ <b>MODEL</b> _____	3	EACH		
12	<b>for item #8</b> <b>LINCOLN ELECTRIC FLEX CUT 80 THIN MATERIALS CONSUMABLE KIT</b> <b>BRAND</b> _____ <b>MODEL</b> _____	3	EACH		
13	<b>JJP-12, 12" PLANER/JOINTER COMBINATION FROM JET</b> Joints your boards by making them square at the edges and then planes them down to a uniform thickness. This stationary planer featires a powerful 3 hp, single phase motorthat can handle hard lumber. Its high-speed cutter head features three steel knives that are sharp enough to shave down edges and durable to last a long time. Has a large aluminum fence that allows you to keep the board straight for more exact results. This machine's design makes it simple and fast to change between functions. A one-piece steel construction makes the machine's stand and durable to last a long time despite regular use. The large handwheel makes it simple to adjust the planer table. <b>BRAND</b> _____ <b>MODEL</b> _____	1	EACH		



**EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT  
CSP 22-46, Tools, Equipemt & Related Items for Career & Technical Education  
PROPOSAL FORM**

**ITEM**

#	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
14	<p><b>JET BENCH GRINDER, FOR MAXIMUM WHEEL DIAMETER 8", FOR MAXIMUM WHEEL THICKNESS 1", GRINDING WHEEL GRIT 36/60 MODEL #578008</b></p> <p><b>TECHNICAL SPECIFICATIONS:</b> Arbor size - 5/8"; Dust management - No; Lights included - No; Application - Grinding; Bearing type - Ball bearing; Dust collection port size - 2-1/2"; Duty - Heavy duty; Features - Pre-drilled bases for stand or work bench mounting; Frequency - 60 Hz; Housing material - Cast iron; Includes - Adjustable safety shields, wheel dresser, adjustable tool rests, fine &amp; coarse vitrified grinding</p> <p><b>BRAND</b> _____</p> <p><b>MODEL</b> _____</p>	6	EACH		
15	<p><b>ATD-7485A 2-TON HEAVY DUTY HYDRAULIC FOLDING ENGINE CRANE</b></p> <p><b>SPECIFICATIONS:</b> Base length - 67.9"; Base width - Front 38.8" Base width - Rear 31.9"; Height - 61.75"; Folded height - 59.6"; Wheel diameter - Front 4"; Wheel diameter - Rear 3.5"; Weight - 266 lbs; Hook height at capacity - Minimum 11.8", maximum 78.7"</p> <p><b>BRAND</b> _____</p> <p><b>MODEL</b> _____</p>	1	EACH		
16	<p><b>ROBINAIR 34788 NI-H PREMIER R-134A REFRIGERANT RECOVERY, RECYCLING AND RECHARGING MACHINE FIR HYBRID AND NON-HYBRID VEHICLES</b></p> <p><b>FEATURES:</b> Program to recover, vacuum, leak test and charge without operating panel valves; Display reminds you to empty the graduated container to show the caamount of oil to replace; Visual and audible alarm notifies the user when service is complete, or if a problem has occurred; Automatic air purge eliminates system-damaging air without monitoring gauges or opening valves; Automatic refrigerant refill feature maintains a user-selectable amount of refrigerant in an internal vessel and signals when its time to change supply tank, no monitoring required</p> <p><b>BRAND</b> _____</p> <p><b>MODEL</b> _____</p>	1	EACH		
17	<p><b>SHOP FOX W1678 5 HP 26" DRUM SANDER</b></p> <p><b>FEATURES:</b> Sanding motor - 5 HP, 220V. Single-phase, 3450 RPM, 25A; Conveyor motor - 1/3 HP, 60V DC, 2A; Frum surface speed - 2300 FPM; Maximum stock diminsions - 26"W X 4-1/4"H; Feed rates - variable (020 FPM); Conveyer table size - 26-1/8" X 30-1/4"; Duel drum with hook &amp; loop sandpaper attachment; Powder-coated finish; All ball-bearing construction; Minimum board length "; Minimum board thickness - 1/8"; Sanding drums - two 6" X 27-3/4", aluminum; Dust ports - (2) 4"; Micro-adjustable rear drum; Approximate shipping weight 546 lbs</p> <p><b>BRAND</b> _____</p> <p><b>MODEL</b> _____</p>	1	EACH		



**EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT**  
**CSP 22-46, Tools, Equipemt & Related Items for Career & Technical Education**  
**PROPOSAL FORM**

**ITEM**

#	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
18	<b>JET TOOLS 708457DXK JJ-6CSDX, 6" DELUXE JOINTER</b> <b>SPECIFICATIONS:</b> Number of knives - 3; Table Size (L X W) - 56" X 7-3/8"; Cutterhead speed - 6000 RFM; Rabbeting capacity - 1/2"; Motor power - 1 HP; Table height from floor - 31-1/4"; Dust collection minimum CFM required - 350 CFM; Dust port outside diameter - 4"; Prewired voltage - 115V; Motor Amps - 13/6.5 <b>BRAND</b> _____ <b>MODEL</b> _____	2	EACH		
19	<b>ALIGNMENT MACHINE WITH HAWKEYE ELITE CAMERA - HUNTER ENGINEERING WA474-CM</b> Aligner with New Premium Compact Cabinet & 27" Widescreen LCD and Hawkeye Elite cameras cabinet-mounted to mobile console: <b>INCLUDES:</b> Cordless VIN Barcode Scanner; CodeLink Cirdless OBD-II Steering System Reset; Ability to service multiple alignment bays; Full range manual height adjustment for working on floor to fully extended lift; Includes Cabinet Mounting Kit; 4 Patented PentaCam 5 Megapixel High Definition Cameras; Patented Elite QuickGrip wheel adaptors, no metal to metal contact; "TD" Three Dimensional Wheel Targets; QuickComp singke motion roll; Turnplate Bridges; Hunter Shop Tough PC with 'Windows 7; Award Winning WinAlign 12 Software; 2 years free vehicle specs & WebSpecs instant specs by web; Tool & Kit Database with required tools replacement part numbers; Full Digital Photo Adjustments & Instruction Video Library; Exclusive tools included WimToe Sho=im-Select II, CAMM snd ABC; Live Ride Height & WinAlign Tuner application for modified vehicles; TPMSpec Database (Vehicle Specific Sensor Type & Reset Procedures); Premium Color Printer, Wired & Wireless Network, Power Line Filter/Protector; Certified iShop & ASANET compliant; Professional Installation & On-Site Training; <b>BRAND</b> _____ <b>MODEL</b> _____	2	EACH		
20	<b>for item #19</b> <b>CORDLESS REMOTE INDICATOR KIT</b> <b>INCLUDES:</b> CORDLESS REMOTE INDICATOR & RECHARGING BRACKETRY FOR 6., 7, & 8 Series Cabinets item #20-2882-1 <b>BRAND</b> _____ <b>MODEL</b> _____	2	EACH		
21	<b>for item #19</b> <b>MEDIUM DUTY TRUCK SPACER KIT</b> This kit contains 4 each spacers for medium duty trucks, These spacers may be used with kit 20-2640-1 Item #20-2621-1 <b>BRAND</b> _____ <b>MODEL</b> _____	2	EACH		
22	<b>for item #19</b> <b>TD TARGET (ELITE) WHEEL OFF ADJUSTMENT</b> - This kit contains 20-1978-1 wheel off adaptor kit, and kit 20-2577-1, TD target to SCA adaptor kit item #20-2664-1 <b>BRAND</b> _____ <b>MODEL</b> _____	2	EACH		



**EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT**  
**CSP 22-46, Tools, Equipemt & Related Items for Career & Technical Education**  
**PROPOSAL FORM**

**ITEM**

#	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
23	<b>PROLOGIX WHEEL BATTERY CHARGER</b> <b>SPECIFICATIONS:</b> BM part #PL3760; Voltage - 12/24 volt; Charging rate - 10A/ 20A/ 60A; Length - 15"; Width - 16"; Height - 23"; Shipping weight - 58 lbs; Warranty - Two Year Limited <b>BRAND</b> _____ <b>MODEL</b> _____	23	EACH		
24	<b>HALUMINUM BEVELING MACHINE, H &amp; M</b> <b>MANUFACTURER #HM01</b> <b>ITEM DETAILS:</b> H & M Pipe beveling machine for 3", 4", 6" and 8" pipes is made from lightweight aluminum and that endures the toughest cinditions and facilitates easy transportation. The split horseshoe design allows easy placement over pipe sections and the boomer assembly locks the machine securely for 360 deg. rotation. <b>BRAND</b> _____ <b>MODEL</b> _____	3	EACH		
25	<b>ALUMINUM BEVELING MACHINE, H &amp; M MODEL HM03</b> <b>ITEM DETAILS:</b> H & M Pipe Beveling Machine for 12", 14", 16", 18" and 20" pipes is made from lightweight aluminum and that endures the toughest conditions and facilitates easy transportation. The split horseshoe design allows easy placement over pipe sections and the boomer assembly locks the machine securely for 300 degree rotation. The ring gear as well as the saddle facilitates are calibrated to +0.025 in concentricity and +0.015 in squareness. The rear mounted short saddle facilitates cutting and beveling in tight locations and provides acurate back-leveling operations. It requires no repositioning and the cubold spacer system helps in minimizing downtime. <b>BRAND</b> _____ <b>MODEL</b> _____	3	EACH		
26	<b>PORTABLE COMPRESSOR, INGERSOLL RAND MODEL #PI-</b> <b>SIU-A9</b> <b>SPECIFICATIONS:</b> Horsepower - 2 HP; Tank size - 20 gal.; Capacity @ 90 psi / 135 psi - 5.2; Maximum pressure - 135 psi; Height - 43"; Width - 23"; Depth - 22"; Net weight - 200 lbs.; Voltage - 115 / 1 / 60; Total package amps - 15 <b>BRAND</b> _____ <b>MODEL</b> _____	2	EACH		
27	<b>CABINET TO STORE FLAMMABLE LIQUIDS, JAMCO</b> <b>GRAINGER ITEM #19T243</b> <b>FEATURES:</b> Built for storing containers of flammable liquids in limited space applications, these cabinets feature a slimline design and highly durable construction; Nimer of shelves - 2; Capacity - 18 gal.; Height - 44"; Width - 23"; Depth - 18"; Color - Yellow <b>BRAND</b> _____ <b>MODEL</b> _____	3	EACH		



**EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT  
CSP 22-46, Tools, Equipemt & Related Items for Career & Technical Education  
PROPOSAL FORM**

**ITEM**

#	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
28	<p><b>EX VERTICAL DRUM SAFETY CABINET AND DRUM SUPPORT, 55 GALLON, 2 MANUAL CLOSE DOORS, YELLOW, JUSTRITE MODEL #896200</b>  <b>DETAILS:</b> Color - Yellow; Material specifications - 18-gauge CR Steel; FM Approval - Yes; OSHA Compliance - Yes; Complies with NFPA Code 30 - Yes; Capacity - 55 gallon; Liter capacity - 200; Number of doors - 2; Door type - Manual; Number of shelves - 1; Adjustable shelf - Yes; Dimensions, Exterior - 65"H X 34"W X 34"D; Dimensions, Interior - 60.5"H X 30.8"W X 30.3"D; Net weight - 346 lbs.  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	3	EACH		
29	<p><b>CONDOR 90 GAL FLAMMABLE CABINET MODEL #45AE85</b>  <b>SPECIFICATIONS:</b> Height - 65"; Width - 43"; Depth - 34"; Safety cabinet door type - Manual; Number of shelves - 2; Color - Yellow; Number of doors - 2; Material - Steel; Finish - Powder coated; Safety cabinet standards - FM approved, NFPA 30, OSHA; Door opening height - 59.5"; Door opening width - 40"  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	3	EACH		
30	<p><b>PORTABLE FUME EXTRACTOR, MILLER ELECTRIC #951509</b>  <b>TECHNICAL SPECIFICATIONS:</b> Air Flow - 875 CFM; Merv - 16; Hz - 60; Input - 11.9 Amps; Motor Hp - 1 hp; Height - 34-3/4"; Width - 31-3/4"; Depth - 48"; Includes - MWX-D with 12 ft. extraction arm and Disposable Filter; Standards - ETL  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	1	EACH		
31	<p><b>2-1/4 HP MULTI-BASE ROUTER KIT</b>  <b>SPECIFICATIONS:</b> Amps - 12; Collets - 1/4" &amp; 1/2"; Horsepower - 2-1/4 HP; Motor diameter - 3-1/2"; No load speed 10,000 - 23,000 RPM; Power tool type - Corded; <b>INCLUDES:</b> Router motor; Plunge base; Sub-base centering gauge; Carrying case; Fixed base; 1/4" &amp; 1/2" collets; Collet wrench; Operating manual  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	5	EACH		



**EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT**  
**CSP 22-46, Tools, Equipemt & Related Items for Career & Technical Education**  
**PROPOSAL FORM**

**ITEM**

#	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
32	<p><b>CNC CUTTING, DRILLING, CARVING AND MACHINING - SHOPBOT PRSALPHA</b>  <b>FEATURES:</b> XYZ Movement - 38" X 25" X 5.5"; Cutting Volume - 36" X 24" X 3.5" (e.g. with 2" long cutter); Footprint with Spindle - 48" X 39" X 30" (Spindle VFD fits to right side of gantry); Weights - 127 lbs. (no deck, co cutter), 171 lbs. (total weight with aluminum deck and spindle), 216 lbs. (total weight with universal vacuum hold down deck kit and spindle); Crate dimensions - 44.5" X 55.75" X 37.5" weight, 217 lbs., loading dock, forklift or lift gate service is recommended; Frame - Machined aluminum members that are bolted together; Collets - Includes one 1/4" and one 1/2" desktop collet and collet nut (ER20); Linear Bearings - Fully supported precision linear guides and blocks on each axis (THK); Drive System - 4 motors with integral, teflon-coated precision leadscrew with anti-backlash technology on each axis (1X, 2Y, 1Z); Integral Guard and Dustskirt; Cut Speed - 4" per second; Jogging Speed - 6" per second; Resolution - 0.00025"; Electrical System Requirements - 120V @ 15 Amps; Software - ShopBot Control System software to run your CNC, Each new ShopBot comes bundled with two powerful sftware programs to create CNC projects, Includes simple, quick start set-up guide  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	1	EACH		
33	<p><b>mitsubishi FG15N5 - 3,000 LB. CAPACITY LP PNEUMATIC TIRE FORKLIFT</b>  <b>CONFIGURATION:</b> Mast - 188.0" MFH / 84.5" OAL / 36.0" FFH Triplex; Ratings &amp; Standards - EPA Compliant &amp; UL Approved; Forks - 1.4" X 3.9" X 42" Hook Type - Pallet; Powertrain - GK21.2.1L4 Cylinder Gas and LPG Engine &amp; Single Speed Powershift Transmission; Carriage - 36.0" Wide ITA Class II Hook Type Carriage; Sideshifter - 36" Wide ITA Class II Hang-on Sideshifter; Drive &amp; Steer Tires - Solid Pneumatic Single Drive and Steer Tires; Load Backrest - 48" High Load Backrest; Hydraulic Activation - 3-Section Valve; Hydraulic Hosing Options - Single Function Internal Hosing, Triplex Mast; Tilt Cylinders - Standard Tilt Cylinders; Overhead Guard - Standard Overhead Guard; Producctivity Options - Horizontal Tank Bracket &amp; Premium LCD/LED Display &amp; Engine Protection System &amp; Seperate Brake &amp; Inching Pedals; Special Applications Option - Aluminum Core Corrugated Fin Radiator &amp; Integrated Presence System; Warning/Light Options - Two Forward LED Working Loghts On OHG &amp; Electronic Back-up Alarm &amp; Amber Strobe Loight, Mounted Below OHG; Seat - Comfort (non-supension Vinyl Seat; Accessories - Orange Seat Belt &amp; Dual Panoramic Rear View Mirror Kit &amp; Fire Extinguisher, Mounted to OMG Leg; LP Tank - Steel LP Tank, Horizontal Fill, 33.5#; Language Markings - English  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	1	EACH		



**EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT**  
**CSP 22-46, Tools, Equipemt & Related Items for Career & Technical Education**  
**PROPOSAL FORM**

**ITEM**

#	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
34	<b>WELDER EASY-MIG 180 #K2698-1</b> <b>SPECIFICATIONS:</b> Input Power - 208/230/1/60; Rated Output Current/Voltage/Duty Cycle - 208, 130A/17.6V/30% & 230, 130A/20V/30%; Input Current @ Rated Output - 20A; Output Range - 30-180 Amps DC & 50-500 lpm WFS (1.3-12.7 m/min) Max. OCV 34; Diminisions - 14"H X10.15"W X 18.2"D; Net Weight - 56 lbs. <b>BRAND</b> _____ <b>MODEL</b> _____	3	EACH		
35	<b>WELDER POWER MIG 210 MP #K3963-1; ALUMINUM ONE-PAK #K4195-1 &amp; TIG ONE-PAK #K4195-2</b> <b>SPECIFICATIONS:</b> Input Power - 120/1/60 & 230/1/60; Rated Output, Current/Voltage/Duty Cycle (MIG) - 120V, 100A/19.0DV/40% & 230V, 200A/24V/25%; Effective Input Current @ Rated Output - 15A & 14.7A; Output Range - 120V, 20-140 Amps DC, Max OCV 56 & 230V,20-220 Amps DC, Max OCV 56; Wire Feed Speed Range - 50-500 rpm (1.3-12.7 m/min); Dimensions - 14:H X 10.75"W X 19"D - Weight - 40 lbs. <b>BRAND</b> _____ <b>MODEL</b> _____	2	EACH		
36	<b>LINCOLN ELECTRIC INVERTEC V350 PRO MULTI-PROCESS WELDER #K1728-5</b> <b>TOP FEATURES:</b> Exceptional Multi-Process Fabrication Welding; 5-425 amp output range, for all recommended processes from DC; TOG to arc gouging; All input voltages and frequencies are both single and three phase rated, No ouput derating necessary on single phase; Low power consumption for energy savings, 88% efficiency; Rugged skid and tube handles, for convenience and added protection; Input power - 208/230/380/415/460/575/1/3/50/60; Processes - Stick, DC, TIG, MIG, Flux-Cored, Gouging <b>BRAND</b> _____ <b>MODEL</b> _____	5	EACH		
37	<b>REBEL EMP 285iC MULTI-PROCESS WELDING MACHINE</b> <b>SPECIFICATIONS:</b> Primary Voltage - 120-240 VAC 1 ph, 50/60 Hz, 460-575 VAC 3 ph, 50/60 Hz; Supply Voltage Range - 90-270 VAC; Maximum Output - 300 A / 34 V (1 ph), 350 A / 34 V (3 ph); Current Range - 5-300A (1 ph), 5-350A (3 ph), TIG Welding Voltage Range - 12-34V; Wire Feed Speed Range - 60-800 ipm (1.5-20.3 m/min); Nominal OCV Volt/DC - 68 VDC; Maximum Plate Thickness - 1/2"; Wire Diameter Range - Mild Steel, .023-.052", Stainless Steel, .030-.052", Aluminum, .030-1/16", Flux-Cored, .030-1/16"; Wire Spool Size - 4" 8" 12"; Supply Plug - NEMA 6-50P no plug for 3 ph unit; Lead cord length - 10'; Approvals - CSA E60974-1-00/UL60974-1/IEC60974-1; Protection Class - IP23S; Power Source Dimensions - 26.5L X 11.5W X 19.5H; Power Source Weight - 70 lbs <b>BRAND</b> _____ <b>MODEL</b> _____	3	EACH		

**EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT**  
**CSP 22-46, Tools, Equipemt & Related Items for Career & Technical Education**  
**PROPOSAL FORM**

**ITEM**

#	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
38	<b>LINCOLN MIG 256 WELDER #K3068-1</b> <b>SPECIFICATIONS:</b> Input power - 208/230/1/60; Rated Output - 250A/26V/40%; Input Current - 56/52A; Output Range - 30-300A DC; Cored Wire Size Range - 035-045"; Wire Speed Feed Range - 50-700; Dimensions - 31.8"H X18.9"W X 38-8"D; Net Weight - 245 lbs. <b>BRAND</b> _____ <b>MODEL</b> _____	4	EACH		
39	<b>LINCOLN ELECTRIC PRECISION TIG 275 AC/DC WELDER READY PAK #K2618-1</b> <b>KEY SPECIFICATIONS:</b> Manufacturers Warranty - 3 year limited warranty; Ship Weight - 434 lbs.; Volts - 208/230/460 AC; Amps - 104/94/47/340; Duty Cycle - 40% at 275; Amperage Adjustments - AC/DC; Range Selection - 2-340 AC, 2-340 DC, 75V max OCV; Weldable Metals - Aluminum, mild steel, stainless steel; Electrode size - 3/8"; Electrode Cable Length - 15'; Clamp cable length - 15; Regulator and gas hose included - Yes; Shielding gas required - No; cord - 25'; Domensions - 41"L X 28"W X 49-11/16D; Product weight - 434 <b>BRAND</b> _____ <b>MODEL</b> _____	6	EACH		
40	<b>LINCOLN INVERTEC V276 WEATHER-RESISTANT STICK &amp; TIG WELDER #K4868-2</b> <b>KEY CONTROLS:</b> Amp/volt meter; Amps control; Thermal Protection indicator; Hot start control; Arc force knob; On/off switch; Negative and Positive Output terminals; Remote Output control, receptacle-6-pin; mode selection switch (stick/touc h start TIG); Local/remote output control <b>BRAND</b> _____ <b>MODEL</b> _____	12	EACH		
41	<b>ARC WELDING MACHINE - LINCOLN INVERTEC V275-S WEATHER-RESISTANT STICK AND TIG WELDER:</b> Is ideal for outdoor construction sites, it's IP23S rated & equipped with weather resistant features; Up to 275 amps of putput gives you access to a greater number of stick electrones <b>FEATURES: OUTSTANDING AWS E6010 &amp; E7018 PERFORMANCE - using up to 7/32" diameter electrode that enables both whip &amp; drag techniques for a variety of constrstruction &amp; fabrication applications; TOUCH START TIG - allows the welding arc to be established without high frequency starting; AIR CARBON ARC CUTTING &amp; GOUGING - with up to 3/16" diameter caarbon electrode; SELECTABLE HOT START - turn it off for thin material or flip it on for thick, rusty or dirty material; VARIABLE ARC FORCE - dial in the "soft" or "crisp" arc you want; ALL-IN-ONE MACHINE - 208/220/230/380/400/415/440/460/575 input volt settings-no single phase de-rating; INCLUDED - Invertec V275-S; Input power cable, 10'; Twist Mate Cable Plugs (K852-70) quantity 2  <b>BRAND</b> _____  <b>MODEL</b> _____         </b>	16	EACH		



**EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT**  
**CSP 22-46, Tools, Equipemt & Related Items for Career & Technical Education**  
**PROPOSAL FORM**

**ITEM**

#	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
42	<p><b>WELDER - MILLERMATIC 252</b>  <b>FEATURES</b> - Highest output in its class(250 A at 28 VDC) weld longer on high-end applications; Infinite voltage control with self-calibrating digital meters that permit presetting of voltage and wire feed speed, ensures precise parameters and accuracy; Integrated digital timers come complete with presettable preflow/postflow, burnback, spot and delay (stitch) timers, independent timers for MIG and spool gun; Lone voltage compensation keeps power constant even if power input varies by+ 10%; Active arc stabilizer minimizes weld cleanup, and provides excellent starts proven superior to the competition; Auto gun detect allows operator to simply pull trigger on MIG gun, spool gun or push/pull gun, automatically detects and recalls the voltage, wire feed speed and timer of the active gun; Heavy-duty aluminum two-drive-roll system; Fan-on-demand cooling system only operates when needed, reducing noise, energy use and the amount of contaminantspulled through the machine; COMES COMPLETE WITH: 15 ft. 250-amp MDX 250 MIG gun, 10 ft. work cable with clamp, 10 ft. industrial power cord, , flow gauge regulator and gas hose for argon or AR/CO 2, MIX, Factory-installed lowered running gear/cylinder rack, .030/.035" reversible dual-groove drive rolls, extra contact tips  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	12	EACH		
43	<p><b>WELDER - MILLERMATIC 255 MIG , 208-240 VOLTS 230 AMPS AT 25.5 VOLT, 60% DUTY CYCLE 350 SINGLE PHASE 84 LB.</b>  <b>FEATURES:</b> Versatility; Portability, EZ-Latch running gear, Easy-to -understand interface, Pulsed MIG welding delivers higher quality, Program mode allows easy save and recall of favorite weld settings, Auto-set elite, Auto-line technology,  <b>INCLUDES:</b> Millermatic 255 with 10 ft. power cord, 15 ft. 300-amp, Bernard BTB MIG Gun for .035/.045" wire, 10 ft. work cable and clamp and 50mm, Dinse-style connector, Flow gauge regulator and gas hose for argon or AR/CO2 mix, Extra contact tips, .035/.045" reversible drive rolls, Chain to secure gas cylinder, Material thickness, Gauge, EZ-Latch running gear  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	4	EACH		
44	<p><b>MULTIPROCESSOR WELDING MACHINE - MILLER XMT 350 CC/CV</b>  Processes MIG (GMAW)/Pulsed MIG (GMAW-P); Stick (SMAW); TIG (GTAW); Flux-cored (FCAW); ; Air carbon arc cutting and gouging (CAC-A); Rated - 1/4" carbons; Capable - 5/16" carbons; Input Power - Auto-Line, 208-575 V, requires 3- or 1 phase power; Output range - 10-38 V, 15-425 A; Net Weight - 80 lbs.  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	5	EACH		

**EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT**  
**CSP 22-46, Tools, Equipemt & Related Items for Career & Technical Education**  
**PROPOSAL FORM**

**ITEM**

#	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
45	<b>WELDING OVEN - LINCOLN ELECTRODE 115/120VAC</b> <b>TECHNICAL SPECIFICATIONS:</b> Capacity 350 lbs.; Voltage 115/120V AC; Temp. Range 100 degress to 550 degrees F; Heating Elements 1000W dual volt; Chamber Diameter 18.0"; Chamber Depth 19"; Type bench top; Insulation thickness 2;; Insulation Fiberglass; Standards UL <b>BRAND</b> _____ <b>MODEL</b> _____	3	EACH		
46	<b>HELICAL CUTTERHEAD WITH INDEXABLE CARBIDE INSERTS - JET 20" 5HP PLANER</b> Weight 837; Planer cutter Head Speed 5000 RPM; Dust collection 5" port; Maximum depth of cut 3/32"; Number of knives 92; Deminsions H48XW32XD32 <b>BRAND</b> _____ <b>MODEL</b> _____	1	EACH		
47	<b>CUTTING TORCH - CUTTING AND WELDING OUTFIT, JOURNEYMAN SERIES, CUTS UP TO 8"</b> <b>TECHNICAL SPECIFICATIONS:</b> Gas Service - Accetylene; Cutting attachment - CA2460; Torch handle - 315FC; Pressure regulator - SR450-540, SR460-510; Inlet connection - CGA-540, CGA-510; Outlet connection - 9/16"-18M rh, 9/16"-18M LH; Head angle - 90 degrees; Welding nozzles - 2; Cutting tips - 1 series; <b>INCLUDES:</b> (1) SR450-510 Acetylene regulator, (1) SR450-540 Oxygen Regulator, 7-101 Cutting Tios, CA2460 cutting attachment, Professional 315FC Torch Handle, W-2 welding nozzle and Instruction Manual <b>BRAND</b> _____ <b>MODEL</b> _____	24	EACH		
48	<b>BELT SANDER - PORTER CABLE 352VS - 3 X 21"</b> <b>VARIABLE-SPEED BELT SANDER</b> <b>SPECIFICATIONS:</b> Belt size - 3" X 21"; Height - 10.38"; Length - 12.5"; Power -120 VAC, 25-60 Hz; Power tool type - Corded; SFPM - 850-1,300; Shipping weight - 12.5 lbs; Weight - 10-75 lbs; Width - 5.75" <b>INCLUDES:</b> 352VS Sander; 80 grit sanding belt; Removable multi-position dust bag <b>BRAND</b> _____ <b>MODEL</b> _____	5	EACH		
49	<b>TRACK TORCH - STRAIGHT LINE CUTTING MACHINE, 115V VICTOR</b> <b>TECHNICAL SPECIFICATIONS:</b> Input voltage - 115V; Speed range - 1 to 60 " per minute; Series - Victor VCM; Application - Ideal for Flame and Plasma cutting; <b>INCLUDES:</b> 1-3/8" Barrel, Heat Shield, Rigging <b>BRAND</b> _____ <b>MODEL</b> _____	3	EACH		



**EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT**  
**CSP 22-46, Tools, Equipemt & Related Items for Career & Technical Education**  
**PROPOSAL FORM**

**ITEM**

#	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
50	<b>STATIONARY SHOP DRILL PRESS - DAYTON 3/4 MOTOR HP FLOOR DRILL PRESS, BELT DRIVE TYPE, 16-1/2: SWING, 120-240 VOLTAGE</b> <b>TECHNICAL SPECIFICATIONS:</b> Spindle taper - 2MT; Corded; Spindle travel - 5"; Base size - 12-45/64" X 19-45/64" Table work surface - 12" X 12"; Hz - 60; Phase - 1 Capacity Steel - 1/2"; Capacity cast iron - 5/8"; Includes - Arbor, Chuck and key; Amps AC - 9.0/4.5; Number of speeds - Variable; Chuck size - 5/8"; Spindle Speed - 260 to 2040 rpm; Table slot size - 1/2"; Column Diameter - 2-55/64"; Toltng angle - 45 degrees; Max. spindle to base - 47"; Quill Dia. - 2-11/32"; Spindle to table - 24"; Overall diminsions - 15"W X 27"D X 65"H <b>BRAND</b> _____ <b>MODEL</b> _____	2	EACH		
51	<b>BANDSAW - JET HBS-916W, 9" X 16" HORIZONTAL BANDSAW</b> <b>SPECIFICATIONS:</b> Cutting capacity - 9"W X 16"D; Round at 90 degrees - 9"; Rounded at 45 degrees - 6-1/8"; Rectangle at 90 degrees - 8-1/2" X 14" AND 2" X 16"; Rectangle at 45 degrees - 9" X 6-1/8"; Vise swivels - 45 degrees; Blade speeds (SFPM) - 82, 132, 170, 235; Blade wheel diameter - 13"; Blade length - 119-1/2"; Blade size - 1" X .035" X 119-1/2"; Bed height - 25"; Motor - 1-1/2HP, 115/230V, 1Ph; Weight - 704 lbs.; Deminsions - 65"L X 28"W X 42"H <b>BRAND</b> _____ <b>MODEL</b> _____	1	EACH		
52	<b>BAND SAW, CORDED, COMBINATION HORIZONTAL/VERTIGO, MANUAL</b> <b>SPECIFICATIONS:</b> Voltage - 115/230V AC; Phase - 1; Rectangular cutting capacity, horizontal - 2" X 6", 5" X 5-3/4"; Depth-Vertigo - 6"; Round cutting capacity, horizontal - 5"; Miter angle range - 45 degrees, 90 degrees; Number of speed settings - 3; Material application - Metal; Blade length - 64-1/2"; Max. Blade width - 1/2"; Cutting capacity square - 5"; Power source - Corded; Blade thickness - 0.025"; Hz - 60; <b>INCLUDES:</b> Vertical worktable, 1/2" carbon steel blade, adjustable material stop <b>BRAND</b> _____ <b>MODEL</b> _____	1	EACH		
53	<b>HYDRAULIC SHOP PRESS, ENERPAC MODEL IPE2505</b> <b>SPECIFICATIONS:</b> Frame capacity - 25 tons; Frame type - H frame; Cylinder type - Single action; Cylinder stroke - 6-1/4"; Strokes to extend piston 1" - 2; Hose length - 6 ft.; Base Deminsions - 41"L X 31"W X 54.5"H; Reservoir capacity - 0.5 gal.; Pump type Electric; Total deminsions - 81"H X 41"W; Features - Welded construction frame; <b>INCLUDES:</b> Gauge GA2, Hose HC9306, Pump, Cylinder <b>BRAND</b> _____ <b>MODEL</b> _____	4	EACH		

**EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT**  
**CSP 22-46, Tools, Equipemt & Related Items for Career & Technical Education**  
**PROPOSAL FORM**

**ITEM**

#	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
54	<p><b>ELECTRIC DOUBLE-BEVEL COMPOUND MITER SAW</b>  <b>DEWALT DWS716</b>  <b>SPECIFICATIONS:</b> Amps - 15; Arbor size - 5/8 or 1"; Bevel - Dual; Blade Ddiameter - 12"; No load speed - 3800 RPM; Tool height - 16.2"; Tool weight - 41 lbs.; Tool width - 22.5";  <b>INCLUDES:</b> DWS716 Double-Bevel compound miter saw; Wrench; 12" Carbide tipped blade; Dust bag  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	3	EACH		
55	<p><b>BAND SAW, CORDED, VERTICAL MANUAL - JET MODEL #JWBS-18</b>  <b>SPECIFICATIONS:</b> Voltage - 115/230V AC; Phase - 1; Rectangular cutting capacity, horizontal - 18" X16"; Throat depth, vertigo - 18"; Round cutting capacity, horizontal - 6"; SFPM range - 2300 to 3800; Miter angle range - 5 degrees left to 45 degrees right; Number of speed settings - 2; Material application - Wood; Blade length - 12 ft. 6 in.; Max. blade width - 1-1/4"; Min. blade width - 1/8"; Cutting capacity square - 6"; Power source - Corded; Blade thickness - 0.026"; Blade wheels dia. - 18.5"; Amps AC - 15/7.5; Hz - 60; HP - - 1 75 hp;  <b>INCLUDES:</b> Bracket, Fence body, Guide rail, Handwheel with handle, Lifting ring, Miter gauge assembly, Resaw fence, Table, Table inset  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	1	EACH		
56	<p><b>SCROLL SAW, VARIABLE-SPEED, 1.3 AMP, 20" - DEWALT MODEL DW788</b>  <b>SPECIFICATIONS:</b> Weight 56 lbs.; Dimensions - 29.5 X19.5 X 12.1"; Color - Yellow; Power source - Cirded-electric; Voltage - 120 Volts; <b>INCLUDED</b> - Blades, Hex wrench  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	4	EACH		
57	<p><b>HYDRAULIC METAL SHEER, NOTCHER, COPER, AND BRAKE - PIRANHA MODEL P-65 SINGLE OPERATOR IRONWORKER</b>  <b>FEATURES:</b> URETHANE STRIPPER ATTACHMENT - keeps material flat through the punching process, eliminating distortion, the shorter required stroke gives you a faster punching cycle; AUTOMATIC URETHANE HOLD-DOWNS - clamps and releases material automatically with each stroke, part movement is eliminated by clamping the part throughout the entire shearing cycle; VISIBILITY - a direct line of sight over the hold down bar allows the operator to easily and accurately line up cuts to the shear blades; FLAT BAR SHEAR - the low rake angle shear design results in flatter &amp; higher quality sheared parts, shear blades have four useable edges giving you a longer life &amp; less expensive blades; ANGLE SHEAR - the floating upper blade seats in the center of the angle prior to cutting minimizing distortion giving you a higher quality cut; COPIER NOTCHER - the low rake angle keeps part flat &amp; ubder control during notching; QUICK CHANGE TOOLING - the unique Piranha dovetail design allows for quick installation &amp; removal of all standard &amp; optional tools  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	2	EACH		



**EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT**  
**CSP 22-46, Tools, Equipemt & Related Items for Career & Technical Education**  
**PROPOSAL FORM**

**ITEM**

#	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
58	<b>CHOP SAW - DEWALT MODEL D28730 14 INCH</b> <b>SPECIFICATIONS:</b> Amps - 15; Cuttong capacity - 5"; Load Speed - 4000 RPM; Tool Height - 16"; Weight - 35 lbs.; Width - 18"; Wheel arbor - 1"; Wheel diameter - 14"; <b>INCLUDES:</b> (1) d28730 14" Chop Saw; (1) Wrench; (1) 14" Abresive wheel <b>BRAND</b> _____ <b>MODEL</b> _____	6	EACH		
59	<b>3 HP PROFESSIONAL TABLE SAW W/36" FENCE, RAILS, AND EXTENSION TABLE - SAWSTOP MODEL PCS31230-TGP236</b> <b>SPECIFICATIONS:</b> Arbor size - 5/8"; Dust collection - 4" port; Maximum depth of cut - 3-1/8"; Height - 34"; Dimensions - 69-1/8" X 33"; <b>BRAND</b> _____ <b>MODEL</b> _____	3	EACH		
60	<b>DUST COLLECTOR - COLLECTS DUST FROM THE AIR AND MACHINES</b> <b>SPECIFICATIONS:</b> Motor - 10 HP, 220V/440V, 3-phase, 30A/15A, TEFC Class "F"; Filter surface area - 398 sq. ft.; Cartridge filter diamentter - 19-11-16" X 2; Airflow capacity - 4029 CFM @ 4.3" SP; Maximum static pressure (inches of water) - 16.8"; Sound level - 82-85 dB; Primary filter - 99.9% at 0.2-2microns; Secondary filter - HEPA rated 99.97% at 0.3 microns; Overall dimensions- 94-1/4"L X 52-1/2"W X 139-3/8"H <b>BRAND</b> _____ <b>MODEL</b> _____	1	EACH		

**EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT**  
**CSP 22-46, Tools, Equipemt & Related Items for Career & Technical Education**  
**PROPOSAL FORM**

**ITEM**

#	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
61	<p><b>SANDING AND DUST COLLECTION SYSTEM - FESTOOL MOBILE DUST EXTRACTOR CT 36 PN 29947</b>  <b>FEATURES:</b> Power - Electric; People per system - 2; <b>TOOL:</b> (1) 6" Electric Orbital Sander, 5mm throw (3/16 equivalent); (1) 6" Electric Geared Sander, 5mm throw &amp; rotary (3/16 equivalent); <b>HOSE:</b> (1) Festool Y-Piece Adapter, Anti-Static; (1) 16.4 ft. Hand Block Hose CT Festool Suction Hose; (2) 32.8 ft. Electric Yool Hose Festool CT Suction Hose Plug-It D32; <b>BLOCK:</b> (1) 3M Hookit Sanding Block Dust Free 2.75" x 5"; (1) 3M Hookit Sanding Block Dust Free 2.75" x 7.5"; (1) 3M Hookit Sanding Block Dust Free 2.75" x 16"; <b>ORGANIZER:</b> Festool Workcenter WCR 1000; (2) Festool Sortainer Sys 4 TL-SORT/3; <b>ACCESSORY:</b> (1) 3M Dry Guide Coat, 50 gram; (1) Scotch Brite Clean &amp; Finish Disc; (1) Festool Automotive Systems Cleaning &amp; Lubricating Oil LFC 9022/50; (6) Festool Automotive Systems Main Filter HEPA-HF-CT 26/36; (10) Festool Self Cleaning Filter Bag CT36; <b>ABRASIVES:</b> (1) 3M Cubitron II Hookit Clean Sanding Abrasive Disc, 6", 80 plus grade, 50 discs per box, 4 boxes per case; (1) 3M Cubitron II Ckean Sanding Hookit Abrasive Disc, 6". 180 plus grade, 50 discs per box, 4 boxes per case; (1) 3M Cubitron II Ckean Sanding Hookit Abrasive Disc, 6". 150 plus grade, 50 discs per box, 4 boxes per case; (1) 3M Cubitron II Ckean Sanding Hookit Abrasive Disc, 6". 220 plus grade, 50 discs per box, 4 boxes per case; (1) 3M Cubitron II Ckean Sanding Hookit Abrasive Disc, 6". 320 plus grade, 50 discs per box, 4 boxes per case;(1) 3M Cubitron II Ckean Sanding Hookit Sheet Roll, 40 plus, 70 mm x 8 m, 1 roll per box, 5 boxes per case; (2) 3M Cubitron II Ckean Sanding Hookit Sheet Roll, 80 plus, 70 mm x 8 m, 1 roll per box, 5 boxes per case; 3M Cubitron II Ckean Sanding Hookit Sheet Roll, 120 plus, 70 mm x 8 m, 1 roll per box, 5 boxes per case; (2) 3M Cubitron II Ckean Sanding Hookit Sheet Roll 180 plus, 70 mm x 8 m, 1 roll per box, 5 boxes per case; (1) 3M Cubitron II Ckean Sanding Hookit Sheet Roll, 320 plus, 70 mm x 12 m, 1 roll per carton, 5 cartons per case; <b>SAFETY:</b> (2) 3M Solus 1000*Series Safety Glasses S1201SGAF-KT, Kit, Foam, Strap, Green/Black, Clear Scotchgard Anti-Fog Lens, 20 EA/Case  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	2	EACH		
62	<p><b>WRAP AROUND BEND TESTER - TRIANGLE ENGINEERING</b>  <b>SPECIFICATIONS:</b> Electrical Motor - 1 HP, 115V, 1PH, 60HZ, 13A, 1725 RPM; Hydraulic Pump - 1500 PSI 1-1/2 GPM; System Pressure - Factory set at 1050 PSI; Hydraulic Oil Reservoir - Capacity 5 gallons; Vise Jaws - Heat treated AISI S7; Die Post - Heat treated AISI 4140; Spur Gear (24 Teeth) - Heat treated AISI 4140; Floor Space - 36" X 36" X 34" height; Weight - 380#  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	3	EACH		
63	<p><b>50 GALLON SOLVENT PARTS WASHER - RANGER MODEL #RS-500D-601</b>  <b>KEY SPECIFICATIONS:</b> Manufacturer's Warranty - 12 months parts &amp; labor; Ship Weight - 742 lbs; Solvent Type - Aluma-Klean; Tank Material - Steel; Tank Dinensions - 43"L X 32"W X 32"H; Overall Dimensions - 36"L X 44"W X 68"H  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	1	EACH		



**EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT**  
**CSP 22-46, Tools, Equipemt & Related Items for Career & Technical Education**  
**PROPOSAL FORM**

**ITEM**

#	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
64	<p><b>SCRAP METAL BIN - ORANGE SELF-DUMPING HOPPER (GRAINGER ITEM #437V50)</b>  <b>TECHNICAL SPECIFICATIONS:</b> Hopper Base - Low Profile; Container Material - Hoppers &amp; Cube Trucks - Steel; Load Capacity - 4,000 lb.; Cubic Foot Capacity - 9.0 cu. Ft.; Qveral Dimensions - 17"H X 43"L X 41"W; Fork Pocket Height - 2"; Fork Posket Width - 28"; Dump Angle - 90 degrees; Finish - Enamel; Fork Pocket Depth - 22-1/4"; Hopper Release - Front Release; Cubic Yard Capacity - 0.33 cu yd  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	2	EACH		
65	<p><b>STRENGTH TESTER - TENSILE MODEL TT40</b>  <b>FEATURES:</b> Intended for testing specifications that will require from 4000 to 40,000 lbs. of tensile load to cause fracture; cut large rectangular specimens lenghtwise to create multiple specimens with smaller cross-sectional areas; Use standard round specimens that have smaller areas than smaller areas that full-section rectangular specimens, the load required for round tensile bars is well within the limits of the Model TT40; Meets ASME, AWS Codes; Meets MIL Standards; Calibration traceable to NIST; Integral hydraulic system; Flat jaws for up to 2 x 1-1/4" section; Digital readout of live &amp; peak loads; Auto zero of digital readout  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	3	EACH		
66	<p><b>WALL WORKBENCH WITH CABINET &amp; DRAWER BASE - HANN MANUFACTURER SKU, HAN-WBB-6L</b>  <b>SPECIFICATION:</b> Tabletop Material - 1-3/4" thick hard maple; Frame Material - Hard maple; Cabinet Interior Dimensions - 17"W X 21"D X 23-1/2"H; Drawer Interior Dimensions - 13-1/4"W X19"L X 5"D; Other Info - 6 drawers &amp; 2 base cabinets, each cabinet includes 1 shelf; Warranty - Lifetime Limited; Overall Dimensions - 72"L X 24"W X 30-3/4"H; Weight 335 lbs.; Assembly Required; Shipping method - Freight  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	1	EACH		
67	<p><b>TOOL ORGANIZATION CENTER - NEWAGE MODEL #50117</b>  <b>SPECIFICATIONS:</b> Series Name - Bold 3.0; Material - Steel; Assembled Dimensions - 77"H X 132"W X 18"D; Numer of Cabinets 8; Manufacturer Dolor/Finish - Jet Black Frames with Charcoal Gray Doors; Color/Finish FAmily Gray; Mount Type - Freestanding; Warranty - Limited Lifetime; Wirk Surface Included - Yes; Work Surface Material - Stainless Steel; Assembly Required - Partial; Welded Seams; Mounting Hardware Included  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	3	EACH		

**EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT**  
**CSP 22-46, Tools, Equipemt & Related Items for Career & Technical Education**  
**PROPOSAL FORM**

**ITEM**

#	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
68	<p><b>TOOL CABINETS - KOBALT MODEL #831105</b>  <b>SPECIFICATIONS:</b> Series Name - 2000 series; Width - 52"; Depth - 18"; Drawer Weight Capacity - 100 lbs.; Has Locking Casters/Wheels; Total Weight - 182 lbs.; Item Weight Rating - Industrial grade - more than 1000 lb. capacity; Color/Finish Family - Black; Warranty - 5 year limited; Manufacturer Color/Finish - Black; Height - 37.5"; Drawer Slide Type - Ball-bearing; Number of Drawers - 9; Lock Type - Built-in lock; Primary Material - Steel; Total Cubic Inches - 18652; Has Soft Close; Number of Casters/Wheels - 4; Cart Wheel Size - 5"; Wheels Included; Assembly Required - Partial; Number of handles - 1; Steel Gauge 20; Maximum Capacity - 1500 lbs.; Full-Extension Drawers  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	6	EACH		
69	<p><b>15-DRAWER TRIPLE BANK TOP CHEST WITH BALL BEARING SLIDES, 72", BLUE HIGH GLOSS PWDER COAT FINISH - EXTREME TOOLS #EX7215CHBL</b>  <b>SPECIFICATIONS:</b> 72"W X 31"D X 26-1/4"H; 15 full-extension drawers use extra heavy duty ball bearing glides; 2 gas lifts to support top lid; Super heavy duty steel construction; Full-extension drawers; 300 to 600 lb load capacity per drawer; Full-width extruded aluminum polished drawer pulls; EVA high density drawer liners included; Theft-proof locking system; Shipping Weight - 790 lbs.  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	1	EACH		
70	<p><b>BOTTOM OF MAIN TOOL BOX - EXTREME TOOLS 72" ROLLER CABINET WITH STAINLESS STEEL TOP, QUICK LATCHES, MAG WHEELS #R-EX7217RCQ</b>  <b>FEATURES:</b> Net weight - 1158 lbs.; Patented Professional Quick Release self-latching drawer pulls; Drawers fully extend &amp; feature ball bearing slides; Stainless steel work surface os professional 304 grade; Patented double-steel wall drawer fronts; Heavy duty 6"X2" casters load rated 900 lbs. each; Drawers load rated 300-600*lbs/drawer (*drawers with double slides); Drawer pulls - Full-width polished, color-anodized aluminum; No visible spot welds on drawer fronts; Double channel spot-welded support brackets prevent sagging/warping drawers; Includes Locking security drawer; Patented modular drawer configuration; High gloss AKZO Nobel powder coat finish; Secular tubular coded lock &amp; keys; EVA high-density drawer liners included; Dimensions - 72"W X 31.06"D X 46.38"H  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	1	EACH		



**EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT**  
**CSP 22-46, Tools, Equipemt & Related Items for Career & Technical Education**  
**PROPOSAL FORM**

**ITEM**

#	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
71	<b>4-DRAWER 2-SHELF SIDE CABINET WITH BALL BEARING SLIDES, 24", BLUE HIGH GLOSS POWDER COAT FINISH - EXTREME TOOLS #EX2404SCBL</b> <b>FEATURES:</b> Weight - 388 lbs.; Dimensions - 24" X 30.88" X 63.38"; Color - Blue; Finish - High gloss powder coat; Material - Steel/Aluminum; Maximum weight capacity - 1800 lbs.; Number of Handles - 1; Special Features - Locking system; Warranty - Lomited lifetime against manufacturer defect in materials & workmanship <b>BRAND</b> _____ <b>MODEL</b> _____	1	EACH		
72	<b>STEEL WORK BENCH &amp; TOOL CABINET, 1600 LB. CAPACITY - IDEAL PREMIUM MODEL PWB-TC-1600</b> <b>FEATURES:</b> Heavy duty steel construction with a durable powder-coat finish; 2-Drawer tool cabinet is lockable; Leveling leg stands are fully adjustable; A 2" retaining fence on 3 sides, easy bolt together assenbly; Large 59-1/2" X 27-1/2" work bench area; Manufacturer's warranty - 1 year limited warranty; Ship weight 163 lbs. <b>BRAND</b> _____ <b>MODEL</b> _____	2	EACH		
73	<b>PREMIUM STEEL WORK BENCH - 1600 LB. CAPACITY - IDEAL MODEL #PWB-1600</b> <b>FEATURES:</b> Heavy duty steel construction with a durable powder coat finiush; Large 59-1/2"L X 27-1/2" work area; Fully adjustable leveling leg stands; 2" retaining fence on 3 sides; Manufacturer's Warranty - 1 year limited warranty; Shiooing weight - 151 lbs. <b>BRAND</b> _____ <b>MODEL</b> _____	9	EACH		
74	<b>WORKBENCH &amp; STORAGE - DIVERSIFIED WOODCRAFTS 4-STATION - 0 VISES</b> <b>FEATURES:</b> 2-1/4" Maple top measures 64" W X 54"D; Constructed of solid maple and maple veneer; Double faced cabinet has two doors and an adjustable shelf on one side & on the other side has 6 locking drawers; Six loicking drawers are dovetailed & have full extension glides, The inside drawer dimensions - 32"W X 22"D X 1-3/8"H; The wood is finished with a durable chemical resistant, non-emilling UV finish; Limited Lifetime Warranty; Outside Dimensions - 64"W X 54"D X 31-1/4"H; Weight 410 lbs. <b>BRAND</b> _____ <b>MODEL</b> _____	5	EACH		
75	<b>HEAVY-DUTY WORK BENCH - RANGER SKU #RWB-2S</b> <b>FEATURES:</b> 14 square feet of work area; Glossy red finish; Electrostatic oven-baked powder coat; Rolled edges for added strength & rigidity; 5/32" HD rolled edge steel table top; 3/32" HD rolled edge steel shelves; Use shelves to store tools, supplies & more; Number of shelves - 2; Dimensions - 34-1/2"H X 79"W X 25-1/4"D; Shipping Weight - 210 lbs. <b>BRAND</b> _____ <b>MODEL</b> _____	4	EACH		

**EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT**  
**CSP 22-46, Tools, Equipemt & Related Items for Career & Technical Education**  
**PROPOSAL FORM**

**ITEM**

#	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
76	<b>HEAVY DUTY TEAR DOWN TABLE - ATD TOOLS</b> <b>#ATD70325</b> <b>DESCRIPTION:</b> All steel construction will support 1,000 lbs.; Reinforced steel top with a 1/2" lip on all sides; Oddset drain for fluid containment in the removable 3-gallon drain pan; Lockable storage drawer; 4" swivel casters with (2) locking swivel casters <b>BRAND</b> _____ <b>MODEL</b> _____	3	EACH		
77	<b>SHOP FANS - PORTACOOOL</b> <b>SPECIFICATIONS:</b> Air delivery - 3,000 cfm; Garder Hose Attachnebt - Yes; Volts - 120; Amps - 5.6; Watts - 672; Power Cord - 9 ft.; Speeds - 2; Water reservoir - 16 gallon; Dimensions - 32"W C 28"D X 40"H; Manufacturer's Warranty - 1 year limited warranty <b>BRAND</b> _____ <b>MODEL</b> _____	4	EACH		
78	<b>TRAINER SUSPENSION AND STEERING SYSTEM - ATECH TRAINING, INC #500</b> <b>FEATURES:</b> Presents the live operation & troubleshooting of steering, suspension, & tire service; Constructed of powder-coated square steel tubing & is portable with rolling casters, entire steering wheel & column assembly can be pivoted inward for easy storage; Composed of late-model, low-mileage vehicle components including: Front Strut Assemblies (2); :Lower control arm assemblies (2); Coil spring units (2); Lower ball joint assemblies (2); Tie rods (2); Rack & Pinion Steering Gear Assembly; Control Panel; Electric Actuators (2); Power Steering Pump; Complete steering column; Steering knuckles (2); Cross member; Brake Rotors (2); Wheel & tire assemblies; Features actual steering & suspension system operation including: Fully operational steering wheel, tilt column & rack & pinion assembly; Fully operational power steering pump driven by electric motor & drive belt; Front struts operated by joystick-controlled electric actuators; Front tire alignment service <b>BRAND</b> _____ <b>MODEL</b> _____	2	EACH		
79	<b>TRAINER WIPER/WASHER SYSTEM - ATECH TRAINING, INC. #830C</b> <b>FEATURES:</b> Presents the live operation & tronbleshooting of wiper/washer systems; Cabinet is constructed of laminated plywood with a front panel of Lexan on an aluminum panel with underlying surface graphics, the supporting legs are made from pwder-coated 1" square steel tubing; Composed of late-model vehicle components & other features including: Windshield wiper motor transmission; Windshield wiper/washer switch; Washer fluid level switch; Washer solvent container; Washer fluid pump; Connector tip jacks; :Low washer indicator light; Battery posts; Fise blocks; Ignition switch; Scan tool/user mode keypad; Scan tool/user mode display; Features actual wiper/washer sytem operation & must be connected to a 12VDC automotive battery (not included) or a 12VDC/23A power supply (not included) <b>BRAND</b> _____ <b>MODEL</b> _____	2	EACH		



**EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT**  
**CSP 22-46, Tools, Equipemt & Related Items for Career & Technical Education**  
**PROPOSAL FORM**

**ITEM**

#	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
80	<p><b>ULTRA DIAGNOSTIC TABLE SCANNER - MAXISYS ULTRA</b>  <b>FEATURES:</b> Is Autel's most ambitious diagnostics tablet designed to maximize technician intelligence, it features a 12.9" touchscreen tablet with Android 7.0 OS powered by an Octa-core processor (2.3GHz Quad + 1.7GHz Quad), substantial 256GB bio;t-in memory, all powerong the new split-screen multi-application navigation to provide diagnostic guidance and test components to confirm repairs; Combined with the dynamic topology mobule mapping, enhanced AutoSCAN features and Intelligent Diagnostics options, the Ultra offers the technicians step-by-step repair guidance; The new MaxiFlash VCMI functions as a 4-channel oscilloscope, waveform generator, multimeter, and CAN BUS tester; The convient docking station featured ensures you always have the power to scan: Camera - Rear, 16 Megapixel, Autofocus with Flashlight - Front, 5 Megapixel; Sensors - Gravity Accelerometer,Ambient Light Sensor (ALS); Audio Input/Output - Microphone, Dual Speakers, 3-Band 3.5 mm stereo/standard headset jack; Power &amp; Battery - 1800mAh 3.8 V lithium-polymer battery, Charging via 12 V AC/DC power supply with the temperature between 0 degree C &amp; 45 degree CX; Input Voltage - 12V/3A Adapter  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	3	EACH		
81	<p><b>COMMERCIAL FUME EXTRACTORS FOR SOLDERING LAB BES 6151</b>  <b>FEATURES:</b> DIY Supplies - Electrical; Type - Combination; Application - Computer tool kit; Fume extractor soldering smoke purifier absorber dust smoking instrument purofer purification air dust cleaner room; Troduct parameter voltage - 110V/220V power; 100W filter layer; 3 layer noise; 50 db system traffic; 258 m3/h body size; 280*250*280mm body weight; 13kg  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	21	EACH		
82	<p><b>LEVARACK STORAGE SHELVING SYSTEM # 1273</b>  <b>COMPONENTS:</b> (2) Pallet rack uprights; (2) Levrack beams with track; (6) 18"C shelving sections; (1) Trolley per section; (2) 4-Post closed uprights per section; (4) Shelves per section; (1) Handle per section; (1) Steel back panel per section: (2) LED shop lights; (3) Wire mesh decks; Outside dimension add 6" to width; Dimensions - 12' 6" L X 7'H X 3'W  <b>BRAND</b> _____  <b>MODEL</b> _____</p>	1	EACH		

**EDINBURG CONSOLIDATED INDEPENDENT SCHOOL DISTRICT  
 CSP 22-46, Tools, Equipemt & Related Items for Career & Technical Education  
 PROPOSAL FORM**

**ITEM**

#	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
83	<b>MEASURES VOLTAGE - OSCILLOSCOPES/DIGITAL OSCILLOSCOPES TEMPLATE</b> <b>FEATURES:</b> Bandwidth - 100 MHz; Channels - 2; Sampling Rate - 1 GS/S; Memory - 1 MP (megapoints) )1024 kB); Rise Time - 3.5 ns; Screen Size - 5.7"; Bits - 8; Battery Options - no; <b>UNIQUE FEATURES:</b> 1 GSa/s maximum real-time sample rate, 25 GSa/s maximum equivalent-time sample rate; 1Mpts long Memory Dept; 100 MHz, 50 MHz Bandwidths; Ultra compact design: 303mm x 154mm x 133mm (WXHDX); 64 k TFT color LCD, bright and vivid waveform display; Advanced trigger modes: Edge, Video, Pulse Width, Slope, Alternate; Adjustable bigger sensitivity: Effectively filter noise from bigger signal and avoid false trigger 20 automatic measurements; Warranty - 3 years; Safety Approval - CE; Interfaces I/O - RS-232, USB Host USB; Weight - 5.29 lbs.; Dimensions _ 6.06"H X 5.24"L X 11.93"W; Data Logging - Yes; HTS/Schedule B Number - 9030201000; ECCN Number - 34992.g; Calibration Included - Factory Calibration; Power Supply Voltage - 120V/220V Universal; Shipping Dimensions - 12"H X 18"L X 11"W <b>BRAND</b> _____ <b>MODEL</b> _____	11	EACH		
<b>TOTAL</b>					